Author and Subject Index
VOLUME 29, 1989

VISION RESEARCH

An International Journal in
Visual Science

PART A
BIOCHEMISTRY
MOLECULAR & CELL BIOLOGY
ELECTROPHYSIOLOGY
MORPHOLOGY

PART B
PSYCHOPHYSICS
EYE MOVEMENTS
PHYSIOLOGICAL OPTICS

PERGAMON PRESS
OXFORD · NEW YORK · BEIJING
FRANKFURT · SÃO PAULO
SYDNEY · TOKYO
TORONTO

VISION RESEARCH

Founded by THORNE SHIPLEY

BOARD OF EDITORS

Distributing Editor for the North and South American Continents:

G. WESTHEIMER
Department of Molecular and Cell Biology
Division of Neurobiology
University of California
2575 Life Science Building
Berkeley, CA 94720
U.S.A.

Distributing Editor for Europe, Africa and Australasia:

H. SPEKREIJSE
The Netherlands Ophthalmic Research Institute and The Laboratory of Medical Physics
University of Amsterdam
P.O. Box 12011
1100 AA Amsterdam-Zuidoost
The Netherlands

Els Borghols—Editorial Assistant

Chairman: G. WESTHEIMER, Berkeley, California, U.S.A.

Part A

Biochemistry, Molecular & Cell Biology, Electrophysiology, Morphology

P. A. HARGRAVE, Gainesville, Fla, U.S.A.
J. G. HOLLYFIELD, Houston, Tex., U.S.A.
A. HUGHES, Victoria, Australia
A. KANEKO, Okazaki, Japan
H. KOLB, Salt Lake City, Utah, U.S.A.
J. H. R. MAUNSELL, Rochester, N.Y., U.S.A.
P. SCHILLER, Cambridge, Mass., U.S.A.
D. L. SPARKS, Philadelphia, Penn., U.S.A.
H. SPEKREIJSE, Amsterdam, The Netherlands
D. VAN NORREN, Soesterberg, The Netherlands

Part B

Psychophysics, Eye Movements, Physiological Optics

J. BERGEN, Princeton, N.J., U.S.A.
H. COLLEWIJN, Rotterdam, The Netherlands
R. FOX, Nashville, Tenn., U.S.A.
J. KRAUSKOPF, New York, N.Y., U.S.A.
D. M. LEVI, Houston, Tex., U.S.A.
M. MORGAN, London, U.K.
K. NAKAYAMA, San Francisco, Calif., U.S.A.
R. SEKULER, Concord, Mass., U.S.A.
D. Y. TELLER, Seattle, Wash., U.S.A.
B. A. WANDELL, Stanford, Calif., U.S.A.
G. WESTHEIMER, Berkeley, Calif., U.S.A.

Publishing Office: Pergamon Press plc, Journals Production Unit, Hennock Road, Marsh Barton, Exeter, Devon EX2 8NE, England (*Tel.* Exeter (0392) 51558; *Telex* 42749)

Subscription and Advertising Offices: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England (*Tel.* Oxford (0865) 64881)
Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A.

Published Monthly

Annual institutional subscription rate (1990) DM 1245.00; 2-year institutional rate (1990/91) DM 2365.50; personal subscription rate for those whose library subscribes at the regular rate (1990) DM 191.00. Subscriptions enquiries from customers in North America should be sent to: Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, England. Prices are subject to amendment without notice.

Back Issues

Back issues of all previously published volumes, in both hard copy and in microform, are available direct from Pergamon Press offices.

Copyright © 1989 Pergamon Press plc

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the U.S.A. The Item-fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the U.S. Copyright Law is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970, U.S.A. *Permission for other use.* The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-fee Code for this publication is: 0042-6989/89 $3.00 + 0.00

⊗™ The paper used in this publication meets the minimum requirements of American National Standard for Information Sciences—Permanence of Paper for Printed Library Materials, ANSI Z39.48-1984.

AUTHOR INDEX

ABADI, R.V.
Abadi, R.V. and Worfolk, R. Retinal slip velocities in congenital nystagmus 29: 195
AGARWAL, N.
Nathans, J., Weitz, C.J., Agarwal, N., Nir, I. and Papermaster, D.S. Production of bovine rhodopsin by mammalian cell lines expressing cell cloned cDNA: spectrophotometry and subcellular localization 29: 907
AHMED, B.
Hammond, P., Pomfrett, C.J.D. and Ahmed, B. Neural motion after-effects in the cat's striate cortex: orientation selectivity 29: 1671
ALBRECHT, D.G.
Hamilton, D.B., Albrecht, D.G. and Geisler, W.S. Visual cortical receptive fields in monkey and cat: spatial and temporal phase transfer function 29: 1285
ALCAYAGA, J.
Alcayaga, J., Bustamante, S. and Gutierrez, O.C. Fast activity and oscillatory potential of carp retina in the frequency domain 29: 949
ALEXANDER, K.R.
Kilbride, P.E., Alexander, K.R., Fishman, M. and Fishman, G.A. Human macular pigment assessed by imaging fundus reflectometry 29: 663
Peachey, N.S., Alexander, K.R. and Fishman, G.A. The luminance-response function of the dark-adapted human electroretinogram 29: 263
AMBLARD, B.
Cremieux, J., Orban, G.A., Duysens, J., Amblard, B. and Kennedy, H. Experimental myopia in cats reared in stroboscopic illumination 29: 1033
ANDERSON, P.A.
Anderson, P.A. and Movshon, J.A. Binocular combination of contrast signals 29: 1115
ANDERSON, S.J.
Anderson, S.J. and Burr, D.C. Receptive field properties of human motion detector units inferred from spatial frequency masking 29: 1343
ANSTIS, S.
Giaschi, D. and Anstis, S. The less you see it, the faster it moves: shortening the "on-time" speeds up apparent motion 29: 335
APKARIAN, P.
Apkarian, P. and Reits, D. Global stereopsis in human albinos 29: 1359
ARGUIN, M.
Cavanagh, P., Arguin, M. and von Grunau, M. Interattribute apparent motion 29: 1197
ARMINGTON, J.C.
Wu, S. and Armington, J.C. Isolation of scotopic human electroretinograms using color adaptation and pattern reversal stimuli 29: 1277
ARNOLD, K.
Neumeyer, C. and Arnold, K. Tetrachromatic color vision in the goldfish becomes trichromatic under white adaptation light of moderate intensity 29: 1719
AYAMA, M.
Ayama, M. and Ikeda, M. Dependence of the chromatic valence function on chromatic standards 29: 1233
AYLWARD, G.W.
McAllan, A., Sinn, J. and Aylward, G.W. The effect of gold foil electrode position on the electroretinogram in human subjects 29: 1085

BADCOCK, D.R.
Badcock, D.R. and Derrington, A.M. Detecting the displacements of spatial beats: no role for distortion products 29: 731
Badcock, D.R. and Smith, D. Uniform field flicker: masking and facilitation 29: 803
BAGNOLI, P.
Porciatti, V., Fontanesi, G. and Bagnoli, P. The electroretinogram of the little owl (*Athene Noctua*) 29: 1693
BAITCH, L.W.
Baitch, L.W. and Levi, D.M. Binocular beats: psychophysical studies of binocular interaction in normal and stereoblind humans 29: 27
BAIZER, J.S.
Baizer, J.S. and Bender, D.B. Comparison of saccadic eye movements in humans and macaques to single-step and double-step target movements 29: 485
BAKER, C.L. JR.,
Baker, C.L. Jr., Baydala, A. and Zeitouni, N. Optimal displacement in apparent motion 29: 849

BAYDALA, A.
Baker, C.L. Jr., Baydala, A. and Zeitouni, N. Optimal displacement in apparent motion 29: 849
BENDER, D.B.
Baizer, J.S. and Bender, D.B. Comparison of saccadic eye movements in humans and macaques to single-step and double-step target movements 29: 485
VAN DEN BERG, A.V.
van den Berg, A.V. and van de Grind, W.A. Reaction times to motion onset and motion detection thresholds reflect the properties of bilocal motion detectors 29: 1261
BIJL, P.
Bijl, P., Koenderink, J.J. and Toet, A. Visibility of blobs with a Gaussian luminance profile 29: 447
BORGULA, G.A.
Borgula, G.A., Karwoski, C.J. and Steinberg, R.H. Light-evoked changes in extracellular pH in frog retina 29: 1069
BOSSOMAIER, T.R.J.
Bossomaier, T.R.J., Wong, R.O.L. and Snyder, A.W. Stiles-Crawford effect in garter snake 29: 741
BOWEN, R.W.
Bowen, R.W., Pokorny, J. and Smith, V.C. Sawtooth contrast sensitivity: decrements have the edge 29: 1501
Bowen, R.W. Two pulses seen as three flashes: a superposition analysis 29: 409
BOYNTON, R.M.
Uchikawa, H., Uchikawa, K. and Boynton, R.M. Influence of achromatic surrounds on categorical perception of surface colors 29: 881
BRADDICK, O.J.
Snowden, R.J. and Braddick, O.J. Extension of displacement limits in multiple-exposure sequences of apparent motion 29: 1777
Snowden, R.J. and Braddick, O.J. The combination of motion signals over time 29: 1621
BREITMEYER, B.G.
Greenlee, M.W. and Breitmeyer, B.G. A choice reaction time analysis of spatial frequency discrimination 29: 1575
Ritter, A.D. and Breitmeyer, B.G. The effects of dichoptic and binocular viewing on bistable motion percepts 29: 1215
BRIDGEMAN, B.
Bridgeman, B. and Graziano, J.A. Effect of context and efference copy on visual straight ahead 29: 1729
Ilg, U.J., Bridgeman, B. and Hoffman, K.P. Influence of mechanical disturbance on oculomotor behavior 29: 545
BRIDGES, C.D.B.
Bridges, C.D.B. Distribution of retinol isomerase in vertebrate eyes and its emergence during retinal development 29: 1711
Lin, Z.-S., Fong, S.-L. and Bridges, C.D.B. Retinoids bound to interstitial retinol-binding protein during light and dark-adaptation 29: 1699
BROWN, A.M.
Brown, A.M. and Teller, D.Y. Chromatic opponency in 3-month-old human infants 29: 37
BURR, D.C.
Anderson, S.J. and Burr, D.C. Receptive field properties of human motion detector units inferred from spatial frequency masking 29: 1343
Burr, D.C., Morrone, M.C. and Spinelli, D. Evidence for edge and bar detectors in human vision 29: 419
Morrone, M.C., Burr, D.C. and Spinelli, D. Discrimination of spatial phase in central and peripheral vision 29: 433
Ross, J., Morrone, M.C. and Burr, D.C. The conditions under which Mach bands are visible 29: 699
BUSTAMANTE, S.
Alcayaga, J., Bustamante, S. and Gutierrez, O.C. Fast activity and oscillatory potential of carp retina in the frequency domain 29: 949

CALVERT, J.E.
Harris, J.P. and Calvert, J.E. Contrast, spatial frequency and test duration effects on the tilt after-effect: implications for underlying mechanisms 29: 129
CARLSON, E.A.
Cohn, S.A., Emmerich, D.S. and Carlson, E.A. Differences in the responses of heterozygous carriers of color-blindness and normal controls to briefly presented stimuli 29: 255
CARNEY, T.
Carney, T., Paradiso, M.A. and Freeman, R.D. A physiological correlate of the Pulfrich effect in cortical neurons of the cat 29: 155
Paradiso, M.A., Carney, T. and Freeman, R.D. Cortical processing of hyperacuity tasks 29: 247

CASANOVA, C.
Molotchnikoff, S., Lachapelle, P. and Casanova, C. Optic nerve blockade influences the retinal responses to flash in rabbits 29: 957
CAVANAGH, P.
Cavanagh, P., Arguin, M. and von Grunau, M. Interattribute apparent motion 29: 1197
Shioiri, S. and Cavanagh, P. Saccadic suppression of low-level motion 29: 915
CHEN, B.
MacLeod, D.I.A., Chen, B. and Crognale, M. Spatial organization of sensitivity regulation in rod vision 29: 965
CHEN, E.P.
Chen, E.P. and Freeman, A.W. A model for spatiotemporal frequency responses in the X cell pathway of the cat's retina 29: 271
CHEN, J.-G.
Chen, J.-G., Nakamura, T., Matsumoto, H. and Ebrey, T.G. Monoclonal antibodies specific to chicken iodopsin 29: 1267
CICERONE, C.M.
Cicerone, C.M. and Nerger, J.L. The density of cones in the fovea centralis of the human dichromat 29: 1587
Cicerone, C.M. and Nerger, J.L. The relative numbers of long-wavelength-sensitive to middle-wavelength-sensitive cones in the human fovea centralis 29: 129
Trejo, L.J., Rand, M.N. and Cicerone, C.M. Consensual pupillary light reflex in the pigmented rat 29: 303
COHN, S.A.
Cohn, S.A., Emmerich, D.S. and Carlson, E.A. Differences in the responses of heterozygous carriers of color-blindness and normal controls to briefly presented stimuli 29: 255
COLLEWIJN, H.
Lemij, H.G. and Collewijn, H. Differences in accuracy of human saccades between stationary and jumping targets 29: 1737
COLLIN, S.P.
Collin, S.P. Topographic organization of the ganglion cell layer and intraocular vascularization in the retinae of two reef teleosts 29: 765
CORMACK, L.K.
Stevenson, S.B., Cormack, L.K. and Schor, C.M. Hyperacuity, superresolution and gap resolution in human stereopsis 29: 1597
CREMIEUX, J.
Cremieux, J., Orban, G.A., Duysens, J., Amblard, B. and Kennedy, H. Experimental myopia in cats reared in stroboscopic illumination 29: 1033
CROGNALE, M.
MacLeod, D.I.A., Chen, B. and Crognale, M. Spatial organization of sensitivity regulation in rod vision 29: 965
CURCIO, C.A.
Curcio, C.A., Sloan, K.R. and Meyers, D. Computer methods for sampling, reconstruction, display and anlysis of retinal whole mounts 29: 529
Hirsch, J. and Curcio, C.A. The spatial resolution capacity of human foveal retina 29: 1095
CYNADER, M.S.
Dobbins, A., Zucker, S.W. and Cynader, M.S. Endstopping and curvature 29: 1371

DEPRIEST, D.D.
Sclar, G., Lennie, P. and DePriest, D.D. Contrast adaptation in striate cortex of macaque 29: 747
DERRINGTON, A.M.
Badcock, D.R. and Derrington, A.M. Detecting the displacements of spatial beats: no role for distortion products 29: 731
Derrington, A.M. and Goddard, P.A. Failure of motion discrimination at high contrasts: evidence for saturation 29: 1767
Derrington, A.M. and Henning, G.B. Some observations on the masking effects of two-dimensional stimuli 29: 241
DEY, S.
Gupta, S., Dey, S., Gupta, A., Varman, A.R. and Michael, R.G. Corneal nipple in the submago and imago of a species of *Cloeon* (Ephemeroptera: Baetidae), as revealed by scanning electron microscopy 29: 1037
DOBBINS, A.
Dobbins, A., Zucker, S.W. and Cynader, M.S. Endstopping and curvature 29: 1371
DOMA, H.
Doma, H. and Hallett, P.E. Variable contributions of rods and cones to saccadic eye-movement latency in a non-foveating task 29: 563

DONG, C.-J.
Dong, C.-J. and McReynolds, J.S. APB increases apparent coupling between horizontal cells in mudpuppy retina 29: 541
DOSHER, B.A.
Dosher, B.A., Landy, M.S. and Sperling, G. Kinetic depth effect and optic flow-I. 3D shape from fourier motion 29: 1789
DOUGLAS, R.H.
Douglas, R.H. and McGuigan, C.M. The spectral transmission of freshwater teleost ocular media-an interspecific comparison and a guide to potential ultraviolet vision 29: 871
Douglas, R.H. The spectral transmission of the lens and cornea of the brown trout (*Salmo trutta*) and goldfish (*Carassius auratus*)-effect of age and implications for ultraviolet vision 29: 861
Kirsch, M., Wagner, H.-J. and Douglas, R.H. Rods trigger light adaptive retinomotor movements in all spectral cone types of a teleost fish 29: 389
DRASDO, N.
Drasdo, N. Receptive field densities of the ganglion cells of the human retina 29: 985
Thompson, D. and Drasdo, N. The effect of stimulus contrast on the latency and amplitude of the pattern electroretinogram 29: 309
DROULEZ, J.
Ron, S., Vieville, T. and Droulez, J. Target velocity based prediction in saccadic vector programming 29: 1103
DUYSENS, J.
Cremieux, J., Orban, G.A., Duysens, J., Amblard, B. and Kennedy, H. Experimental myopia in cats reared in stroboscopic illumination 29: 1033

EBREY, T.G.
Chen, J.-G., Nakamura, T., Matsumoto, H. and Ebrey, T.G. Monoclonal antibodies specific to chicken iodopsin 29: 1267
EISNER, A.
Eisner, A. Losses of foveal flicker sensitivity during dark adaptation following extended bleaches 29: 1401
EMMERICH, D.S.
Cohn, S.A., Emmerich, D.S. and Carlson, E.A. Differences in the responses of heterozygous carriers of color-blindness and normal controls to briefly presented stimuli 29: 255
ENRIGHT, J.T.
Enright, J.T. Manipulating stereopsis and vergence in an outdoor setting: moon, sky and horizon 29: 1815
ESKEW, R.T. JR.
Eskew, R.T. Jr. The gap effect revisited: slow changes in chromatic sensitivity as affected by luminance and chromatic borders 29: 717

FACH, C.C.
Sharpe, L.T., Fach, C.C. and Nordby, K. Temporal summation in typical, complete achromat 29: 1833
FINLAY, D.C.
Manning, M.L. and Finlay, D.C. Motion components of VEP's to the waggon wheel effect 29: 19
FIORENTINI, A.
Fiorentini, A. Differences between fovea and parafovea in visual search processes 29: 1153
FISHER, L.J.
White, M.P. and Fisher, L.J. Effects of exogenous melatonin on circadian disc shedding in the albino rat retina 29: 167
FISHMAN, G.A.
Kilbride, P.E., Alexander, K.R., Fishman, M. and Fishman, G.A. Human macular pigment assessed by imaging fundus reflectometry 29: 663
Peachey, N.S., Alexander, K.R. and Fishman, G.A. The luminance-response function of the dark-adapted human electroretinogram 29: 263
FISHMAN, M.
Kilbride, P.E., Alexander, K.R., Fishman, M. and Fishman, G.A. Human macular pigment assessed by imaging fundus reflectometry 29: 663
FLITCROFT, D.I.
Flitcroft, D.I. The interactions between chromatic aberration, defocus and stimulus chromaticity: implications for visual physiology and colorimetry 29: 349
FONG, S.-L.
Lin, Z.-S., Fong, S.-L. and Bridges, C.D.B. Retinoids bound to interstitial retinol-binding protein during light and dark-adaptation 29: 1699

FONTANESI, G.
Porciatti, V., Fontanesi, G. and Bagnoli, P. The electroretinogram of the little owl (*Athene Noctua*) 29: 1693
FOSTER, D.H.
Foster, D.H., Gravano, S. and Tomoszek, A. Acuity for fine-grain motion and for two-dot spacing as a function of retinal eccentricity: differences in specialization of the central and peripheral retina 29: 1017
FOX, C.R.
Matin, L. and Fox, C.R. Visually perceived eye level and perceived elevation of objects: linearly additive influences from visual field pitch and from gravity 29: 315
FREEMAN, A.W.
Chen, E.P. and Freeman, A.W. A model for spatiotemporal frequency responses in the X cell pathway of the cat's retina 29: 271
FREEMAN, R.D.
Carney, T., Paradiso, M.A. and Freeman, R.D. A physiological correlate of the Pulfrich effect in cortical neurons of the cat 29: 155
Paradiso, M.A., Carney, T. and Freeman, R.D. Cortical processing of hyperacuity tasks 29: 247
FULTON, A.B.
Hansen, R.M. and Fulton, A.B. Psychophysical estimates of ocular media density of human infants 29: 687

GAGNÉ, S.
Gagné, S., Roebroek, J.G.H. and Stavenga, D.G. Enigma of early receptor potential in fly eyes 29: 1663
GAUZELMAN, V.E.
Glezer, V.D., Gauzelman, V.E. and Yakovlev, V.V. Spatial organization of subfields in receptive fields of cells in cat striate cortex 29: 777
GEISLER, W.S.
Hamilton, D.B., Albrecht, D.G. and Geisler, W.S. Visual cortical receptive fields in monkey and cat: spatial and temporal phase transfer function 29: 1285
GEORGESON, M.A.
Georgeson, M.A. and Shackleton, T.M. Monocular motion sensing, binocular motion perception 29: 1511
GHAZI, H.
Osborne, N.N. and Ghazi, H. The effect of substance P and other tachykinins on inositol phospholipid hydrolysis in rabbit retina, superior colliculus and retinal cultures 29: 757
GIASCHI, D.
Giaschi, D. and Anstis, S. The less you see it, the faster it moves: shortening the "on-time" speeds up apparent motion 29: 335
VAN GISBERGEN, J.A.M.
van Opstal, A.J. and van Gisbergen, J.A.M. Scatter in the metrics of saccades and properties of the collicular motor map 29: 1183
GLEZER, V.D.
Glezer, V.D., Gauzelman, V.E. and Yakovlev, V.V. Spatial organization of subfields in receptive fields of cells in cat striate cortex 29: 777
GODDARD, P.A.
Derrington, A.M. and Goddard, P.A. Failure of motion discrimination at high contrasts: evidence for saturation 29: 1767
GODFREY, D.A.
Ross, C.D., Parli, J.A. and Godfrey, D.A. Quantitative distribution of six amino acids in rat retinal layers 29: 1079
GOECKNER, P.A.
Koretz, J.F., Kaufman, P.L., Neider, M.W. and Goeckner, P.A. Accommodation and presbyopia in the human eye-aging of the anterior segment 29: 1685
GOLDSMITH, T.H.
Zeiger, J. and Goldsmith, T.H. Spectral properties of porphyropsin from an invertebrate 29: 519
GRANDA, A.M.
Granda, A.M. and Sisson, D.F. Psychophysically derived visual mechanisms in turtle. I-Spectral properties 29: 107
GRAVANO, S.
Foster, D.H., Gravano, S. and Tomoszek, A. Acuity for fine-grain motion and for two-dot spacing as a function of retinal eccentricity: differences in specialization of the central and peripheral retina 29: 1017
GRAZIANO, J.A.
Bridgeman, B. and Graziano, J.A. Effect of context and efference copy on visual straight ahead 29: 1729
GREENLEE, M.W.
Greenlee, M.W. and Breitmeyer, B.G. A choice reaction time analysis of spatial frequency discrimination 29: 1575

VAN DE GRIND, W.A.
Lankheet, M.J.M., Molenaar, J. and [%hVAN DE%H]Grind, W.A. The spike generating mechanism of cat retinal ganglion cells 29: 505
Lankheet, M.J.M., Molenaar, J. and van de Grind, W.A. Frequency transfer properties of the spike generating mechanism of cat retinal ganglion cells 29: 1649
van den Berg, A.V. and van de Grind, W.A. Reaction times to motion onset and motion detection thresholds reflect the properties of bilocal motion detectors 29: 1261
GRÜSSER, O.-J.
Grüsser, O.-J., Grüsser-Cornehls, U., Kusel, R. and Przybyszewski, A.W. Responses of retinal ganglion cells to eyeball deformation: a neuro-physiological basis for "pressure phosphenes" 29: 181
Grüsser, O.-J., Hagner, M. and Przybyszewski, A.W. The effect of dark adaptation on the responses of cat retinal ganglion cells to eyeball deformation 29: 1059
GRÜSSER-CORNEHLS, U.
Grüsser, O.-J., Grüsser-Cornehls, U., Kusel, R. and Przybyszewski, A.W. Responses of retinal ganglion cells to eyeball deformation: a neuro-physiological basis for "pressure phosphenes" 29: 181
VON GRUNAU, M.
Cavanagh, P., Arguin, M. and von Grunau, M. Interattribute apparent motion 29: 1197
GU, Y.
Legge, G.E. and GU, Y. Stereopsis and contrast 29: 989
GUPTA, A.
Gupta, S., Dey, S., Gupta, A., Varman, A.R. and Michael, R.G. Corneal nipple in the submago and imago of a species of *Cloeon* (Ephemeroptera: Baetidae), as revealed by scanning electron microscopy 29: 1037
GUPTA, S.
Gupta, S., Dey, S., Gupta, A., Varman, A.R. and Michael, R.G. Corneal nipple in the submago and imago of a species of *Cloeon* (Ephemeroptera: Baetidae), as revealed by scanning electron microscopy 29: 1037
GUR, M.
Gur, M. Color and brightness fade-out in the Ganzfeld is wavelength dependent 29: 1335
GUTIERREZ, O.C..
Alcayaga, J., Bustamante, S. and Gutierrez, O.C. Fast activity and oscillatory potential of carp retina in the frequency domain 29: 949

HAGNER, M.
Grüsser, O.-J., Hagner, M. and Przybyszewski, A.W. The effect of dark adaptation on the responses of cat retinal ganglion cells to eyeball deformation 29: 1059
HALLETT, P.E.
Doma, H. and Hallett, P.E. Variable contributions of rods and cones to saccadic eye-movement latency in a non-foveating task 29: 563
HAMER, R.D.
Hamer, R.D., Norcia, A.M., Tyler, C.W. and Hsu-Winges, C. The development of monocular and binocular VEP acuity 29: 397
Norcia, A.M., Tyler, C.W., Hamer, R.D. and Wesemann, W. Measurement of spatial contrast sensitivity with the swept contrast VEP 29: 627
HAMILTON, D.B.
Hamilton, D.B., Albrecht, D.G. and Geisler, W.S. Visual cortical receptive fields in monkey and cat: spatial and temporal phase transfer function 29: 1285
HAMMOND, P.
Hammond, P., Pomfrett, C.J.D. and Ahmed, B. Neural motion after-effects in the cat's striate cortex: orientation selectivity 29: 1671
HAMMOND, R.
Hammond, R. and Pomfrett, C.J.D. Directional and orientational tuning of feline striate cortical neurones: correlation with neuronal class 29: 653
HANSEN, R.M.
Hansen, R.M. and Fulton, A.B. Psychophysical estimates of ocular media density of human infants 29: 687
HARA, R.
Terakita, A., Hara, R. and Hara, T. Retinal-binding protein as a shuttle for retinal in the rhodopsin-retinochrome system of the squid visual cells 29: 639
HARA, T.
Terakita, A., Hara, R. and Hara, T. Retinal-binding protein as a shuttle for retinal in the rhodopsin-retinochrome system of the squid visual cells 29: 639
HARRIS, J.P.
Harris, J.P. and Calvert, J.E. Contrast, spatial frequency and test duration effects on the tilt after-effect: implications for underlying mechanisms 29: 129

HAYHOE, M.M.
Hayhoe, M.M. and Smith, M.V. The role of spatial filtering in sensitivity regulation 29: 457
HE, P.
He, P. and Kowler, E. The role of location probability in the programming of saccades: implications for "center-of-gravity" tendencies 29: 1165
HECKMANN, R.
Schor, C., Heckmann, R. and Tyler, C.W. Binocular fusion limits are independent of contrast, luminance gradient and component phases 29: 821
HECKMANN, T.
Heckmann, T. and Schor, C.M. Is edge information for stereoacuity spatially channeled? 29: 593
Schor, C. and Heckmann, T. Interocular differences in contrast and spatial frequency: effects on steropsis and fusion 29: 837
HEELEY, D.W.
Heeley, D.W. and Thompson, R.J. The effect of stationary, random phase discontinuities, on spatial frequency discrimination 29: 497
Heeley, D.W. and Timney, B. Spatial frequency discrimination at different orientations 29: 1221
Heeley, D.W., Timney, B., Paterson, I.R. and Thompson, R.J. Width discrimination for band-pass stimuli 29: 901
HENNING, G.B.
Derrington, A.M. and Henning, G.B. Some observations on the masking effects of two-dimensional stimuli 29: 241
HENRY, G.H.
Thalluri, J. and Henry, G.H. Neurons of the striate cortex driven trans-synaptically by electrical stimulaton of the superior colliculus 29: 1319
HESS, R.F.
Pointer, J.S. and Hess, R.F. The contrast sensitivity gradient across the human visual field: with emphasis on he low spatial frequency range 29: 1133
HIRSCH, J.
Hirsch, J. and Curcio, C.A. The spatial resolution capacity of human foveal retina 29: 1095
HISCOCK, J.
Hiscock, J. and Straznicky, C. Morphological characterization of substance P-like immunoreactive amacrine cells in the anuran retina 29: 293
Straznicky, C. and Hiscock, J. Neuropeptide Y-like immunoreactivity in neurons of the human retina 29: 1041
HOCHSTEIN, S.
Shechter, S. and Hochstein, S. Size, flux and luminance effects in the apparent motion correspondence process 29: 579
HOFFMAN, K.P.
Ilg, U.J., Bridgeman, B. and Hoffman, K.P. Influence of mechanical disturbance on oculomotor behavior 29: 545
HOLDEN, A.L.
Holden, A.L. and Low, J.C. Binocular fields with lateral-eyed vision 29: 361
HOLOPIGIAN, K.
Holopigian, K. CLinical suppression and binocular rivalry suppression: the effects of stimulus strength on the depth of suppression 29: 1325
HONG, X.
Hong, X. and Regan, D. Visual field defects for unidirectional and oscillatory motion in depth 29: 809
HOTOPF, W.H.N.
Morgan, M.J. and Hotopf, W.H.N. Perceived diagonals in grids and lattices 29: 1005
HSU-WINGES, C.
Hamer, R.D., Norcia, A.M., Tyler, C.W. and Hsu-Winges, C. The development of monocular and binocular VEP acuity 29: 397

IKEDA, M.
Ayama, M. and Ikeda, M. Dependence of the chromatic valence function on chromatic standards 29: 1233
ILG, U.J.
Ilg, U.J., Bridgeman, B. and Hoffman, K.P. Influence of mechanical disturbance on oculomotor behavior 29: 545

JOHNSTON, A.
Johnston, A. The geometry of the topographic map in striate cortex 29: 1493
JULESZ, B.
Kröse, B.J.A. and Julesz, B. The control and speed of shifts of attention 29: 1607

KAPLAN, M.W.
Sears, R.C. and Kaplan, M.W. Axial diffusion of retinol in isolated frog rod outer segments following substantial bleaches of visual pigment 29: 1485
KARWOSKI, C.J.
Borgula, G.A., Karwoski, C.J. and Steinberg, R.H. Light-evoked changes in extracellular pH in frog retina 29: 1069
KAUFMAN, P.L.
Koretz, J.F., Kaufman, P.L., Neider, M.W. and Goeckner, P.A. Accommodation and presbyopia in the human eye-aging of the anterior segment 29: 1685
KENNEDY, H.
Cremieux, J., Orban, G.A., Duysens, J., Amblard, B. and Kennedy, H. Experimental myopia in cats reared in stroboscopic illumination 29: 1033
KIEFER, W.
Reuss, S. and Kiefer, W. Melatonin administered systemically alters the properties of visual cortex cells in cat: further evidence for a role in visual information processing 29: 1089
KILBRIDE, P.E.
Kilbride, P.E., Alexander, K.R., Fishman, M. and Fishman, G.A. Human macular pigment assessed by imaging fundus reflectometry 29: 663
KINGDOM, F.
Moulden, B. and Kingdom, F. White's effect: a dual mechanism 29: 1245
KIRSCH, M.
Kirsch, M. and Wagner, H.-J. Release pattern of endogenous dopamine in teleost retinae during light adaptation and pharmacological stimulation 29: 147
Kirsch, M., Wagner, H.-J. and Douglas, R.H. Rods trigger light adaptive retinomotor movements in all spectral cone types of a teleost fish 29: 389
KLEIN, S.A.
Levi, D.M. and Klein, S.A. Both separation and eccentricity can limit precise position judgements: a reply to Morgan and Watt 29: 1463
Yap, Y.L., Levi, D.M. and Klein, S.A. Peripheral positional acuity: retinal and cortical constraints on 2-dot separation discrimination under photopic and scotopic conditions 29: 789
KOCK, J.H.
Kock, J.H., Mecke, E., Orlov, O.Y., Reuter, T., Väisänen, R.A.and Wallgren, J.E.C. Ganglion cells in the frog retina: discriminant analysis of histological classes 29: 1
KOENDERINK, J.J
Bijl, P., Koenderink, J.J. and Toet, A. Visibility of blobs with a Gaussian luminance profile 29: 447
KORENBROT, J.I.
Korenbrot, J.I. and Miller, D.L. Cytoplasmic free calcium concentration in dark-adapted retinal rod outer segments 29: 939
KORETZ, J.F.
Koretz, J.F., Kaufman, P.L., Neider, M.W. and Goeckner, P.A. Accommodation and presbyopia in the human eye-aging of the anterior segment 29: 1685
KOWLER, E.
He, P. and Kowler, E. The role of location probability in the programming of saccades: implications for "center-of-gravity" tendencies 29: 1165
Kowler, E. Cognitive expectations, not habits, control anticipatory smooth oculomotor pursuit 29: 1049
VAN DE KRAATS, J.
van Norren, D. and van de Kraats, J. Imaging retinal densitometry with a confocal scanning laser ophthalmoscope 29: 1825
van Norren, D. and van de Kraats, J. Retinal densitometer with the size of a fundus camera 29: 369
KRÖSE, B.J.A.
Kröse, B.J.A. and Julesz, B. The control and speed of shifts of attention 29: 1607
KUSEL, R.
Grüsser, O.-J., Grüsser-Cornehls, U., Kusel, R. and Przybyszewski, A.W. Responses of retinal ganglion cells to eyeball deformation: a neuro-physiological basis for "pressure phosphenes" 29: 181

LACHAPELLE, P.
Molotchnikoff, S., Lachapelle, P. and Casanova, C. Optic nerve blockade influences the retinal responses to flash in rabbits 29: 957
LANDY, M.S.
Dosher, B.A., Landy, M.S. and Sperling, G. Kinetic depth effect and optic flow-I. 3D shape from fourier motion 29: 1789

LANKHEET, M.J.M.
Lankheet, M.J.M., Molenaar, J. and van de Grind, W.A. Frequency transfer properties of the spike generating mechanism of cat retinal ganglion cells 29: 1649
Lankheet, M.J.M., Molenaar, J. and van de Grind, W.A. The spike generating mechanism of cat retinal ganglion cells 29: 505
LEGGE, G.E.
Legge, G.E. and GU, Y. Stereopsis and contrast 29: 989
Rubin, G.S. and Legge, G.E. Psychophysics of reading. VI-The role of contrast in low vision 29: 79
LEMIJ, H.G.
Lemij, H.G. and Collewijn, H. Differences in accuracy of human saccades between stationary and jumping targets 29: 1737
LENNIE, P.
Sclar, G., Lennie, P. and DePriest, D.D. Contrast adaptation in striate cortex of macaque 29: 747
LEVI, D.M.
Baitch, L.W. and Levi, D.M. Binocular beats: psychophysical studies of binocular interaction in normal and stereoblind humans 29: 27
Levi, D.M. and Klein, S.A. Both separation and eccentricity can limit precise position judgements: a reply to Morgan and Watt 29: 1463
Yap, Y.L., Levi, D.M. and Klein, S.A. Peripheral positional acuity: retinal and cortical constraints on 2-dot separation discrimination under photopic and scotopic conditions 29: 789
LIN, Z.-S.
Lin, Z.-S., Fong, S.-L. and Bridges, C.D.B. Retinoids bound to interstitial retinol-binding protein during light and dark-adaptation 29: 1699
LOCKHEAD, G.R.
Seaber, J.H. and Lockhead, G.R. McCollough aftereffects in strabismus and amblyopia 29: 609
LOW, J.C.
Holden, A.L. and Low, J.C. Binocular fields with lateral-eyed vision 29: 361

MACKEBEN, M.
Nakayama, K. and Mackeben, M. Sustained and transient components of focal visual attention 29: 1631
MACLEOD, D.I.A.
MacLeod, D.I.A., Chen, B. and Crognale, M. Spatial organization of sensitivity regulation in rod vision 29: 965
Sharpe, L.T., Stockman, A. and MacLeod, D.I.A. Rod flicker perception: scotopic duality, phase lags and destructive interference 29: 1539
MANNING, M.L.
Manning, M.L. and Finlay, D.C. Motion components of VEP's to the waggon wheel effect 29: 19
MARCANTONI, M.
Suburo, A.M. and Marcantoni, M. Changes in the shape and optical properties of the chicken lens after vitreous and scleral removal 29: 1229
MATHER, G.
Mather, G. The role of subjective contours in capture of steropsis 29: 143
MATIN, L.
Matin, L. and Fox, C.R. Visually perceived eye level and perceived elevation of objects: linearly additive influences from visual field pitch and from gravity 29: 315
MATSUMOTO, H.
Chen, J.-G., Nakamura, T., Matsumoto, H. and Ebrey, T.G. Monoclonal antibodies specific to chicken iodopsin 29: 1267
McALLAN, A.
McAllan, A., Sinn, J. and Aylward, G.W. The effect of gold foil electrode position on the electroretinogram in human subjects 29: 1085
McGUIGAN, C.M.
Douglas, R.H. and McGuigan, C.M. The spectral transmission of freshwater teleost ocular media-an interspecific comparison and a guide to potential ultraviolet vision 29: 871
McKEE, S.P.
McKee, S.P. and Welch, L. Is there a constancy for velocity? 29: 553
McLEAN, J.
McLean, J. and Palmer, L.A. Contribution of linear spatiotemporal receptive field structure to velocity selectivity of simple cells in area 17 of cat 29: 675
McREYNOLDS, J.S.
Dong, C.-J. and McReynolds, J.S. APB increases apparent coupling between horizontal cells in mudpuppy retina 29: 541

MECKE, E.
Kock, J.H., Mecke, E., Orlov, O.Y., Reuter, T., Vitsänen, R.A. and Wallgren, J.E.C. Ganglion cells in the frog retina: discriminant analysis of histological classes 29: 1
METS, M.B.
Yo, C., Wilson, H.R., Mets, M.B. and Ritacco, D.G. Human albinos can discriminate spatial frequency and phase as accurately as normal subjects 29: 1561
MEYERS, D.
Curcio, C.A., Sloan, K.R. and Meyers, D. Computer methods for sampling, reconstruction, display and anlysis of retinal whole mounts 29: 529
MICHAEL, R.G.
Gupta, S., Dey, S., Gupta, A., Varman, A.R. and Michael, R.G. Corneal nipple in the submago and imago of a species of *Cloeon* (Ephemeroptera: Baetidae), as revealed by scanning electron microscopy 29: 1037
MILLER, D.L.
Korenbrot, J.I. and Miller, D.L. Cytoplasmic free calcium concentration in dark-adapted retinal rod outer segments 29: 939
MILLER, J.M.
Miller, J.M. Functional anatomy of narmal human rectus muscles 29: 223
MIYACHI, E.
Miyachi, E. and Murakami, M. Coexistence of NMDA and non-NMDA receptors on turtle horizontal cells revealed using isolated retina preparations 29: 385
MOLENAAR, J.
Lankheet, M.J.M., Molenaar, J. and van de Grind, W.A. Frequency transfer properties of the spike generating mechanism of cat retinal ganglion cells 29: 1649
Lankheet, M.J.M., Molenaar, J. and van de Grind, W.A. The spike generating mechanism of cat retinal ganglion cells 29: 505
MOLOTCHNIKOFF, S.
Molotchnikoff, S., Lachapelle, P. and Casanova, C. Optic nerve blockade influences the retinal responses to flash in rabbits 29: 957
MORGAN, M.J.
Morgan, M.J. and Hotopf, W.H.N. Perceived diagonals in grids and lattices 29: 1005
Morgan, M.J. and Watt, R.J. The Weber relation for position is not an artefact of eccentricity 29: 1457
MORRONE, M.C.
Burr, D.C., Morrone, M.C. and Spinelli, D. Evidence for edge and bar detectors in human vision 29: 419
Morrone, M.C., Burr, D.C. and Spinelli, D. Discrimination of spatial phase in central and peripheral vision 29: 433
Ross, J., Morrone, M.C. and Burr, D.C. The conditions under which Mach bands are visible 29: 699
MOULDEN, B.
Moulden, B. and Kingdom, F. White's effect: a dual mechanism 29: 1245
MOVSHON, J.A.
Anderson, P.A. and Movshon, J.A. Binocular combination of contrast signals 29: 1115
MURAKAMI, M.
Miyachi, E. and Murakami, M. Coexistence of NMDA and non-NMDA receptors on turtle horizontal cells revealed using isolated retina preparations 29: 385

NACHMIAS, J.
Nachmias, J. Contrast modulated maskers: test of late nonlinearity hypothesis 29: 137
NAKAMURA, T.
Chen, J.-G., Nakamura, T., Matsumoto, H. and Ebrey, T.G. Monoclonal antibodies specific to chicken iodopsin 29: 1267
NAKAYAMA, K.
Nakayama, K. and Mackeben, M. Sustained and transient components of focal visual attention 29: 1631
Paradiso, M.A., Shimójo, S. and Nakayama, K. Subjective contours, tilt aftereffects, and visual cortical organization 29: 1205
Shimojo, S., Silverman, G.H. and Nakayama, K. Occlusion and the solution to the aperture problem for motion 29: 619
NATHANS, J.
Nathans, J., Weitz, C.J., Agarwal, N., Nir, I. and Papermaster, D.S. Production of bovine rhodopsin by mammalian cell lines expressing cell cloned cDNA: spectrophotometry and subcellular localization 29: 907
NEIDER, M.W.
Koretz, J.F., Kaufman, P.L., Neider, M.W. and Goeckner, P.A. Accommodation and presbyopia in the human eye-aging of the anterior segment 29: 1685

NERGER, J.L.
Cicerone, C.M. and Nerger, J.L. The density of cones in the fovea centralis of the human dichromat 29: 1587
Cicerone, C.M. and Nerger, J.L. The relative numbers of long-wavelength-sensitive to middle-wavelength-sensitive cones in the human fovea centralis 29: 129
NEUMEYER, C.
Neumeyer, C. and Arnold, K. Tetrachromatic color vision in the goldfish becomes trichromatic under white adaptation light of moderate intensity 29: 1719
NI, J.
Ni, J. and Smith, E.L., III. Effects of chronic optical defocus on the kitten's refractive status 29: 929
NIR, I.
Nathans, J., Weitz, C.J., Agarwal, N., Nir, I. and Papermaster, D.S. Production of bovine rhodopsin by mammalian cell lines expressing cell cloned cDNA: spectrophotometry and subcellular localization 29: 907
NORCIA, A.M.
Hamer, R.D., Norcia, A.M., Tyler, C.W. and Hsu-Winges, C. The development of monocular and binocular VEP acuity 29: 397
Norcia, A.M., Tyler, C.W., Hamer, R.D. and Wesemann, W. Measurement of spatial contrast sensitivity with the swept contrast VEP 29: 627
NORDBY, K.
Sharpe, L.T., Fach, C.C. and Nordby, K. Temporal summation in typical, complete achromat 29: 1833
VAN NORREN, D.
van Norren, D. and van de Kraats, J. Imaging retinal densitometry with a confocal scanning laser ophthalmoscope 29: 1825
van Norren, D. and van de Kraats, J. Retinal densitometer with the size of a fundus camera 29: 369

VAN OPSTAL, A.J.
van Opstal, A.J. and van Gisbergen, J.A.M. Scatter in the metrics of saccades and properties of the collicular motor map 29: 1183
ORBAN, G.A.
Cremieux, J., Orban, G.A., Duysens, J., Amblard, B. and Kennedy, H. Experimental myopia in cats reared in stroboscopic illumination 29: 1033
ORLOV, O.Y.
Kock, J.H., Mecke, E., Orlov, O.Y., Reuter, T., Väisänen, R.A. and Wallgren, J.E.C. Ganglion cells in the frog retina: discriminant analysis of histological classes 29: 1
OSBORNE, N.N.
Osborne, N.N. and Ghazi, H. The effect of substance P and other tachykinins on inositol phospholipid hydrolysis in rabbit retina, superior colliculus and retinal cultures 29: 757
OSWALD-CRUZ, E.
Silveira, L.C.L., Picanço-Diniz, C.W., Sampaio, L.F.S. and Oswaldo-Cruz, E. Retinal ganglion cell distribution in the cebus monkey: a comparison with the cortical magnification factors 29: 1471

PALMER, L.A.
McLean, J. and Palmer, L.A. Contribution of linear spatiotemporal receptive field structure to velocity selectivity of simple cells in area 17 of cat 29: 675
PANTLE, A.
Turano, K. and Pantle, A. On the mechanism that encodes the movement of contrast variations: velocity discrimination 29: 207
PAPERMASTER, D.S.
Nathans, J., Weitz, C.J., Agarwal, N., Nir, I. and Papermaster, D.S. Production of bovine rhodopsin by mammalian cell lines expressing cell cloned cDNA: spectrophotometry and subcellular localization 29: 907
PARADISO, M.A.
Carney, T., Paradiso, M.A. and Freeman, R.D. A physiological correlate of the Pulfrich effect in cortical neurons of the cat 29: 155
Paradiso, M.A., Carney, T. and Freeman, R.D. Cortical processing of hyperacuity tasks 29: 247
Paradiso, M.A., Shimojo, S. and Nakayama, K. Subjective contours, tilt aftereffects, and visual cortical organization 29: 1205
PARKER, A.J.
Parker, A.J. and Yang, Y. Spatial properties of disparity pooling in human stereo vision 29: 1525
PARLI, J.A.
Ross, C.D., Parli, J.A. and Godfrey, D.A. Quantitative distribution of six amino acids in rat retinal layers 29: 1079

PATERSON, I.R.
Heeley, D.W., Timney, B., Paterson, I.R. and Thompson, R.J. Width discrimination for band-pass stimuli 29: 901
PEACHEY, N.S.
Peachey, N.S., Alexander, K.R. and Fishman, G.A. The luminance-response function of the dark-adapted human electroretinogram 29: 263
PICANÇO-DINIZ, C.W.
Silveira, L.C.L., Picanço-Diniz, C.W., Sampaio, L.F.S. and Oswaldo-Cruz, E. Retinal ganglion cell distribution in the cebus monkey: a comparison with the cortical magnification factors 29: 1471
PIERSCIONEK, B.K.
Pierscionek, B.K. Growth and ageing effects on the refractive index ing the equatorial plane of the bovine lens 29: 1759
POINTER, J.S.
Pointer, J.S. and Hess, R.F. The contrast sensitivity gradient across the human visual field: with emphasis on he low spatial frequency range 29: 1133
POKORNY, J.
Bowen, R.W., Pokorny, J. and Smith, V.C. Sawtooth contrast sensitivity: decrements have the edge 29: 1501
Vimal, R.L.P., Pokorny, J., Smith, V.C. and Shevell, S.K. Foveal cone thresholds 29: 61
POLA, J.
Pola, J. and Wyatt, H.J. The perception of target motion during smooth pursuit eye movements in the open-loop condition: characteristics of retinal and extraretinal signals 29: 471
POMFRETT, C.J.D.
Hammond, P., Pomfrett, C.J.D. and Ahmed, B. Neural motion after-effects in the cat's striate cortex: orientation selectivity 29: 1671
Hammond, R. and Pomfrett, C.J.D. Directional and orientational tuning of feline striate cortical neurones: correlation with neuronal class 29: 653
PORCIATTI, V.
Porciatti, V., Fontanesi, G. and Bagnoli, P. The electroretinogram of the little owl (*Athene Noctua*) 29: 1693
PRZYBYSZEWSKI, A.W.
Grüsser, O.-J., Grüsser-Cornehls, U., Kusel, R. and Przybyszewski, A.W. Responses of retinal ganglion cells to eyeball deformation: a neuro-physiological basis for "pressure phosphenes" 29: 181
Grüsser, O.-J., Hagner, M. and Przybyszewski, A.W. The effect of dark adaptation on the responses of cat retinal ganglion cells to eyeball deformation 29: 1059

RAND, M.N.
Trejo, L.J., Rand, M.N. and Cicerone, C.M. Consensual pupillary light reflex in the pigmented rat 29: 303
REGAN, D.
Hong, X. and Regan, D. Visual field defects for unidirectional and oscillatory motion in depth 29: 809
Regan, D. Orientation discrimination for objects defined by relative motion and objects defined by luminance contrast 29: 1389
REITS, D.
Apkarian, P. and Reits, D. Global stereopsis in human albinos 29: 1359
REUSS, S.
Reuss, S. and Kiefer, W. Melatonin administered systemically alters the properties of visual cortex cells in cat: further evidence for a role in visual information processing 29: 1089
REUTER, T.
Kock, J.H., Mecke, E., Orlov, O.Y., Reuter, T., Väisänen, R.A. and Wallgren, J.E.C. Ganglion cells in the frog retina: discriminant analysis of histological classes 29: 1
RITACCO, D.G.
Yo, C., Wilson, H.R., Mets, M.B. and Ritacco, D.G. Human albinos can discriminate spatial frequency and phase as accurately as normal subjects 29: 1561
RITTER, A.D.
Ritter, A.D. and Breitmeyer, B.G. The effects of dichoptic and binocular viewing on bistable motion percepts 29: 1215
ROEBROEK, J.G.H.
Gagné, S., Roebroek, J.G.H. and Stavenga, D.G. Enigma of early receptor potential in fly eyes 29: 1663
RON, S.
Ron, S., Vieville, T. and Droulez, J. Target velocity based prediction in saccadic vector programming 29: 1103
ROSS, C.D.
Ross, C.D., Parli, J.A. and Godfrey, D.A. Quantitative distribution of six amino acids in rat retinal layers 29: 1079
ROSS, J.
Ross, J., Morrone, M.C. and Burr, D.C. The conditions under which Mach bands are visible 29: 699

RUBIN, G.S.
Rubin, G.S. and Legge, G.E. Psychophysics of reading. VI-The role of contrast in low vision 29: 79

SAMPAIO, L.F.S.
Silveira, L.C.L., Picanço-Diniz, C.W., Sampaio, L.F.S. and Oswaldo-Cruz, E. Retinal ganglion cell distribution in the cebus monkey: a comparison with the cortical magnification factors 29: 1471
SATO, T.
Sato, T. Reversed apparent motion with random dot patterns 29: 1749
SCHOR, C.M.
Schor, C. and Heckmann, T. Interocular differences in contrast and spatial frequency: effects on steropsis and fusion 29: 837
Schor, C., Heckmann, R. and Tyler, C.W. Binocular fusion limits are independent of contrast, luminance gradient and component phases 29: 821
Heckmann, T. and Schor, C.M. Is edge information for steroacuity spatially channeled? 29: 593
Stevenson, S.B., Cormack, L.K. and Schor, C.M. Hyperacuity, superresolution and gap resolution in human stereopsis 29: 1597
SCLAR, G.
Sclar, G., Lennie, P. and DePriest, D.D. Contrast adaptation in striate cortex of macaque 29: 747
SEABER, J.H.
Seaber, J.H. and Lockhead, G.R. McCollough aftereffects in strabismus and amblyopia 29: 609
SEARS, R.C.
Sears, R.C. and Kaplan, M.W. Axial diffusion of retinol in isolated frog rod outer segments following substantial bleaches of visual pigment 29: 1485
SEKULER, R.
Watamaniuk, S.M.H., Sekuler, R. and Williams, D.W. Direction perception in complex dynamic displays: the integration of direction information 29: 47
SELTNER, R.L.
Seltner, R.L., Weerheim, J.A. and Sivak, J.G. Role of the lens and vitreous humor in the refractive properties of the eyes of three strains of goldfish 29: 681
SHACKLETON, T.M.
Georgeson, M.A. and Shackleton, T.M. Monocular motion sensing, binocular motion perception 29: 1511
SHARPE, L.T.
Sharpe, L.T., Fach, C.C. and Nordby, K. Temporal summation in typical, complete achromat 29: 1833
Sharpe, L.T., Stockman, A. and MacLeod, D.I.A. Rod flicker perception: scotopic duality, phase lags and destructive interference 29: 1539
SHECHTER, S.
Shechter, S. and Hochstein, S. Size, flux and luminance effects in the apparent motion correspondence process 29: 579
SHEVELL, S.K.
Shevell, S.K. On neural signals that mediate induced blackness 29: 891
Vimal, R.L.P., Pokorny, J., Smith, V.C. and Shevell, S.K. Foveal cone thresholds 29: 61
SHIMOJO, S.
Paradiso, M.A., Shimojo, S. and Nakayama, K. Subjective contours, tilt aftereffects, and visual cortical organization 29: 1205
Shimojo, S., Silverman, G.H. and Nakayama, K. Occlusion and the solution to the aperture problem for motion 29: 619
SHIOIRI, S.
Shioiri, S. and Cavanagh, P. Saccadic suppression of low-level motion 29: 915
SILVEIRA, L.C.L.
Silveira, L.C.L., Picanço-Diniz, C.W., Sampaio, L.F.S. and Oswaldo-Cruz, E. Retinal ganglion cell distribution in the cebus monkey: a comparison with the cortical magnification factors 29: 147
SILVERMAN, G.H.
Shimojo, S., Silverman, G.H. and Nakayama, K. Occlusion and the solution to the aperture problem for motion 29: 619
SINN, J.
McAllan, A., Sinn, J. and Aylward, G.W. The effect of gold foil electrode position on the electroretinogram in human subjects 29: 1085
SISSON, D.F.
Granda, A.M. and Sisson, D.F. Psychophysically derived visual mechanisms in turtle. I-Spectral properties 29: 107

SIVAK, J.G.
Seltner, R.L., Weerheim, J.A. and Sivak, J.G. Role of the lens and vitreous humor in the refractive properties of the eyes of three strains of goldfish 29: 681
SKOTTUN, B.C.
Skottun, B.C. Temporal summation in a rod monochromat: response to Sharpe, Fach and Nordby 29: 1831
SLOAN, K.R.
Curcio, C.A., Sloan, K.R. and Meyers, D. Computer methods for sampling, reconstruction, display and anlysis of retinal whole mounts 29: 529
SMITH, D.
Badcock, D.R. and Smith, D. Uniform field flicker: masking and facilitation 29: 803
SMITH, E.L., III
Ni, J. and Smith, E.L., III. Effects of chronic optical defocus on the kitten's refractive status 29: 929
SMITH, M.V.
Hayhoe, M.M. and Smith, M.V. The role of spatial filtering in sensitivity regulation 29: 457
SMITH, V.C.
Bowen, R.W., Pokorny, J. and Smith, V.C. Sawtooth contrast sensitivity: decrements have the edge 29: 1501
Vimal, R.L.P., Pokorny, J., Smith, V.C. and Shevell, S.K. Foveal cone thresholds 29: 61
SNOWDEN, R.J.
Snowden, R.J. and Braddick, O.J. Extension of displacement limits in multiple-exposure sequences of apparent motion 29: 1777
Snowden, R.J. and Braddick, O.J. The combination of motion signals over time 29: 1621
SNYDER, A.W.
Bossomaier, T.R.J., Wong, R.O.L. and Snyder, A.W. Stiles-Crawford effect in garter snake 29: 741
SPERLING, G.
Dosher, B.A., Landy, M.S. and Sperling, G. Kinetic depth effect and optic flow-I. 3D shape from fourier motion 29: 1789
SPINELLI, D.
Burr, D.C., Morrone, M.C. and Spinelli, D. Evidence for edge and bar detectors in human vision 29: 419
Morrone, M.C., Burr, D.C. and Spinelli, D. Discrimination of spatial phase in central and peripheral vision 29: 433
STAVENGA, D.G.
Gagné, S., Roebroek, J.G.H. and Stavenga, D.G. Enigma of early receptor potential in fly eyes 29: 1663
STEINBERG, R.H.
Borgula, G.A., Karwoski, C.J. and Steinberg, R.H. Light-evoked changes in extracellular pH in frog retina 29: 1069
STEVENSON, S.B.
Stevenson, S.B., Cormack, L.K. and Schor, C.M. Hyperacuity, superresolution and gap resolution in human stereopsis 29: 1597
STOCKMAN, A.
Sharpe, L.T., Stockman, A. and MacLeod, D.I.A. Rod flicker perception: scotopic duality, phase lags and destructive interference 29: 1539
STRAZNICKY, C.
Hiscock, J. and Straznicky, C. Morphological characterization of substance P-like immunoreactive amacrine cells in the anuran retina 29: 293
Straznicky, C. and Hiscock, J. Neuropeptide Y-like immunoreactivity in neurons of the human retina 29: 1041
SUBURO, A.M.
Suburo, A.M. and Marcantoni, M. Changes in the shape and optical properties of the chicken lens after vitreous and scleral removal 29: 1229
SWANSON, W.H.
Ueno, T. and Swanson, W.H. Response pooling between chromatic and luminance systems 29: 325

TELLER, D.Y.
Brown, A.M. and Teller, D.Y. Chromatic opponency in 3-month-old human infants 29: 37
TERAKITA, A.
Terakita, A., Hara, R. and Hara, T. Retinal-binding protein as a shuttle for retinal in the rhodopsin-retinochrome system of the squid visual cells 29: 639
THALLURI, J.
Thalluri, J. and Henry, G.H. Neurons of the striate cortex driven trans-synaptically by electrical stimulaton of the superior colliculus 29: 1319
THOMPSON, D.
Thompson, D. and Drasdo, N. The effect of stimulus contrast on the latency and amplitude of the pattern electroretinogram 29: 309

THOMPSON, R.J.
Heeley, D.W. and Thompson, R.J. The effect of stationary, random phase discontinuities, on spatial frequency discrimination 29: 497
Heeley, D.W., Timney, B., Paterson, I.R. and Thompson, R.J. Width discrimination for band-pass stimuli 29: 901
TIMNEY, B.
Heeley, D.W. and Timney, B. Spatial frequency discrimination at different orientations 29: 1221
Heeley, D.W., Timney, B., Paterson, I.R. and Thompson, R.J. Width discrimination for band-pass stimuli 29: 901
TOET, A.
Bijl, P., Koenderink, J.J. and Toet, A. Visibility of blobs with a Gaussian luminance profile 29: 447
TOMOSZEK, A.
Foster, D.H., Gravano, S. and Tomoszek, A. Acuity for fine-grain motion and for two-dot spacing as a function of retinal eccentricity: differences in specialization of the central and peripheral retina 29: 1017
TREJO, L.J.
Trejo, L.J., Rand, M.N. and Cicerone, C.M. Consensual pupillary light reflex in the pigmented rat 29: 303
TURANO, K.
Turano, K. and Pantle, A. On the mechanism that encodes the movement of contrast variations: velocity discrimination 29: 207
TYLER, C.W.
Hamer, R.D., Norcia, A.M., Tyler, C.W. and Hsu-Winges, C. The development of monocular and binocular VEP acuity 29: 397
Norcia, A.M., Tyler, C.W., Hamer, R.D. and Wesemann, W. Measurement of spatial contrast sensitivity with the swept contrast VEP 29: 627
Schor, C., Heckmann, R. and Tyler, C.W. Binocular fusion limits are independent of contrast, luminance gradient and component phases 29: 821

UCHIKAWA, H.
Uchikawa, H., Uchikawa, K. and Boynton, R.M. Influence of achromatic surrounds on categorical perception of surface colors 29: 881
UCHIKAWA, K.
Uchikawa, H., Uchikawa, K. and Boynton, R.M. Influence of achromatic surrounds on categorical perception of surface colors 29: 881
UENO, T.
Ueno, T. and Swanson, W.H. Response pooling between chromatic and luminance systems 29: 325

VARMAN, A.R.
Gupta, S., Dey, S., Gupta, A., Varman, A.R. and Michael, R.G. Corneal nipple in the submago and imago of a species of *Cloeon* (Ephemeroptera: Baetidae), as revealed by scanning electron microscopy 29: 1037
VIEVILLE, T.
Ron, S., Vieville, T. and Droulez, J. Target velocity based prediction in saccadic vector programming 29: 1103
VIMAL, R.L.P.
Vimal, R.L.P., Pokorny, J., Smith, V.C. and Shevell, S.K. Foveal cone thresholds 29: 61
VÄISÄNEN, R.A.
Kock, J.H., Mecke, E., Orlov, O.Y., Reuter, T., Väisänen, R.A. and Wallgren, J.E.C. Ganglion cells in the frog retina: discriminant analysis of histological classes 29: 1
VOLBRECHT, V.J.
Volbrecht, V.J. and Werner, J.S. Temporal induction of blackness-II. Spectral efficiency and tests of additivity 29: 1437
Volbrecht, V.J., Werner, J.S. and Wooten, B.R. Temporal induction of blackness-I. Color appearance 29: 1425

WAGNER, H.-J.
Kirsch, M. and Wagner, H.-J. Release pattern of endogenous dopamine in teleost retinae during light adaptation and pharmacological stimulation 29: 147
Kirsch, M., Wagner, H.-J. and Douglas, R.H. Rods trigger light adaptive retinomotor movements in all spectral cone types of a teleost fish 29: 389
WALLGREN, J.E.C.
Kock, J.H., Mecke, E., Orlov, O.Y., Reuter, T., Väisänen, R.A. and Wallgren, J.E.C. Ganglion cells in the frog retina: discriminant analysis of histological classes 29: 1
WATAMANIUK, S.M.H.
Watamaniuk, S.M.H., Sekuler, R. and Williams, D.W. Direction perception in complex dynamic displays: the integration of direction information 29: 47

WATT, R.J.
Morgan, M.J. and Watt, R.J. The Weber relation for position is not an artefact of eccentricity 29: 1457
WECKSTRÖM, M.
Weckström, M. Light and dark adaptation in fly photoreceptors: duration and time integral of the impulse response 29: 1309
WEERHEIM, J.A.
Seltner, R.L., Weerheim, J.A. and Sivak, J.G. Role of the lens and vitreous humor in the refractive properties of the eyes of three strains of goldfish 29: 681
WEITZ, C.J.
Nathans, J., Weitz, C.J., Agarwal, N., Nir, I. and Papermaster, D.S. Production of bovine rhodopsin by mammalian cell lines expressing cell cloned cDNA: spectrophotometry and subcellular localization 29: 907
WELCH, L.
McKee, S.P. and Welch, L. Is there a constancy for velocity? 29: 553
WERNER, J.S.
Volbrecht, V.J. and Werner, J.S. Temporal induction of blackness-II. Spectral efficiency and tests of additivity 29: 1437
Volbrecht, V.J., Werner, J.S. and Wooten, B.R. Temporal induction of blackness-I. Color appearance 29: 1425
WESEMANN, W.
Norcia, A.M., Tyler, C.W., Hamer, R.D. and Wesemann, W. Measurement of spatial contrast sensitivity with the swept contrast VEP 29: 627
WHITE, M.P.
White, M.P. and Fisher, L.J. Effects of exogenous melatonin on circadian disc shedding in the albino rat retina 29: 167
WILLIAMS, D.W.
Watamaniuk, S.M.H., Sekuler, R. and Williams, D.W. Direction perception in complex dynamic displays: the integration of direction information 29: 47
WILSON, H.R.
Yo, C., Wilson, H.R., Mets, M.B. and Ritacco, D.G. Human albinos can discriminate spatial frequency and phase as accurately as normal subjects 29: 1561
WONG, R.O.L.
Bossomaier, T.R.J., Wong, R.O.L. and Snyder, A.W. Stiles-Crawford effect in garter snake 29: 741
WOOTEN, B.R.
Volbrecht, V.J., Werner, J.S. and Wooten, B.R. Temporal induction of blackness-I. Color appearance 29: 1425
WORFOLK, R.
Abadi, R.V. and Worfolk, R. Retinal slip velocities in congenital nystagmus 29: 195
WU, S.
Wu, S. and Armington, J.C. Isolation of scotopic human electroretinograms using color adaptation and pattern reversal stimuli 29: 1277
WYATT, H.J.
Pola, J. and Wyatt, H.J. The perception of target motion during smooth pursuit eye movements in the open-loop condition: characteristics of retinal and extraretinal signals 29: 471

YAGI, T.
Yagi, T. Dynamics of signal conduction from soma to axon terminal of the teleost retinal horizontal cell: *in vivo, in vitro* and model studies 29: 375
YAKOVLEV, V.V.
Glezer, V.D., Gauzelman, V.E. and Yakovlev, V.V. Spatial organization of subfields in receptive fields of cells in cat striate cortex 29: 777
YANG, Y.
Parker, A.J. and Yang, Y. Spatial properties of disparity pooling in human stereo vision 29: 1525
YAP, Y.L.
Yap, Y.L., Levi, D.M. and Klein, S.A. Peripheral positional acuity: retinal and cortical constraints on 2-dot separation discrimination under photopic and scotopic conditions 29: 789
YO, C.
Yo, C., Wilson, H.R., Mets, M.B. and Ritacco, D.G. Human albinos can discriminate spatial frequency and phase as accurately as normal subjects 29: 1561

ZAIDI, Q.
Zaidi, Q. Local and distal factors in visual grating induction 29: 691
ZEIGER, J.
Zeiger, J. and Goldsmith, T.H. Spectral properties of porphyropsin from an invertebrate 29: 519

ZEITOUNI, N.
Baker, C.L. Jr., Baydala, A. and Zeitouni, N. Optimal displacement in apparent motion 29: 849
ZUCKER, S.W.
Dobbins, A., Zucker, S.W. and Cynader, M.S. Endstopping and curvature 29: 1371

SUBJECT INDEX

ABERRATION
The interactions between chromatic aberration, defocus and stimulus chromaticity: implications for visual physiology and colorimetry 29: 349

ABSOLUTE THRESHOLD (see DETECTION THRESHOLD)

ACCOMMODATION
Computing high order wave aberration coefficients from variations of best focus for small artificial pupils 29: 979
Accommodation and presbyopia in the human eye-aging of the anterior segment 29: 1685

ACUITY (see also HYPERACUITY; STEREOPSIS)
The development of monocular and binocular VEP acuity 29: 397
Acuity for fine-grain motion and for two-dot spacing as a function of retinal eccentricity: differences in specialization of the central and peripheral retina 29: 1017
The spatial resolution capacity of human foveal retina 29: 1095
Both separation and eccentricity can limit precise position judgements: a reply to Morgan and Watt 29: 1463

ADAPTATION, CHROMATIC
The relative numbers of long-wavelength-sensitive to middle-wavelength-sensitive cones in the human fovea centralis 29: 115
Isolation of scotopic human electroretinograms using color adaptation and pattern reversal stimuli 29: 1277

ADAPTATION, DARK (see also BLEACHING)
Psychophysically derived visual mechanisms in turtle. II-Spatial properties 29: 107
The luminance-response function of the dark-adapted human electroretinogram 29: 263
Cytoplasmic free calcium concentration in dark-adapted retinal rod outer segments 29: 939
The effect of dark adaptation on the responses of cat retinal ganglion cells to eyeball deformation 29: 1059
Melatonin administered systemically alters the properties of visual cortex cells in cat: further evidence for a role in visual information processing 29: 1089
Light and dark adaptation in fly photoreceptors: duration and time integral of the impulse response 29: 1309
Losses of foveal flicker sensitivity during dark adaptation following extended bleaches 29: 1401
Retinoids bound to interstitial retinol-binding protein during light and dark-adaptation 29: 1699

ADAPTATION, LIGHT
Psychophysically derived visual mechanisms in turtle. II-Spatial properties 29: 107
Release pattern of endogenous dopamine in teleost retinae during light adaptation and pharmacological stimulation 29: 147
The role of spatial filtering in sensitivity regulation 29: 457
Light and dark adaptation in fly photoreceptors: duration and time integral of the impulse response 29: 1309
Color and brightness fade-out in the Ganzfeld is wavelength dependent 29: 1335
The electroretinogram of the little owl (*Athene noctura*) 29: 1693
Retinoids bound to interstitial retinol-binding protein during light and dark-adaptation 29: 1699
Tetrachromatic color vision in the goldfish becomes trichromatic under white adaptation light of moderate intensity 29: 1719

AFTEREFFECTS (see also ILLUSION)
McCollough aftereffects in strabismus and amblyopia 29: 609
Optimal displacement in apparent motion 29: 849
Binocular combination of contrast signals 29: 1115
Subjective contours, tilt aftereffects, and visual cortical organization 29: 1205

AFTERIMAGE (see AFTEREFFECTS)

AGING
The spectral transmission of the lens and cornea of the brown trout (*Salmo trutta*) and goldfish (*Carassius auratus*)-effect of age and implications for ultraviolet vision 29: 861
Accommodation and presbyopia in the human eye-aging of the anterior segment 29: 1685
Growth and ageing effects on the refractive index in the equatorial plane of the bovine lens 29: 1759

ALIGNMENT (see HYPERACUITY)

AMACRINE CELLS
Ganglion cells in the frog retina: discriminant analysis of histological classes 29: 1
Morphological characterization of substance P-like immunoreactive amacrine cells in the anuran retina 29: 293
Neuropeptide Y-like immunoreactivity in neurons of the human retina 29: 1041

AMBLYOPIA
McCollough aftereffects in strabismus and amblyopia 29: 609
Clinical suppression and binocular rivalry suppression: the effects of stimulus strength on the depth of suppression 29: 1325

ANTIBODIES
Morphological characterization of substance P-like immunoreactive amacrine cells in the anuran retina 29: 293
Production of bovine rhodopsin by mammalian cell lines expressing cloned cDNA: spectrophotometry and subcellular localization 29: 907
Neuropeptide Y-like immunoreactivity in neurons of the human retina 29: 1041
Monoclonal antibodies specific to chicken iodopsin 29: 1267

APPARATUS (see also TECHNIQUES)
Imaging retinal densitometry with a confocal scanning laser ophthalmoscope 29: 1825

ATTENTION (see COGNITION)

BINOCULAR RIVALRY
Clinical suppression and binocular rivalry suppression: the effects of stimulus strength on the depth of suppression 29: 1325

BINOCULAR VISION (see also SUMMATION, BINOCULAR)
Binocular beats: psychophysical studies of binocular interaction in normal and stereoblind humans 29: 27
Binocular fields with lateral-eyed vision 29: 361
McCollough aftereffects in strabismus and amblyopia 29: 609
Binocular fusion limits are independent of contrast, luminance gradient and component phases 29: 821
On neural signals that mediate induced blackness 29: 891
The effects of dichoptic and binocular viewing on bistable motion percepts 29: 1215
Monocular motion sensing, binocular motion perception 29: 1511
Spatial properties of disparity pooling in human stereo vision 29: 1525

BLEACHING (see also ADAPTATION, DARK)
Retinal densitometer with the size of a fundus camera 29: 369
Spatial organization of sensitivity regulation in rod vision 29: 965
Losses of foveal flicker sensitivity during dark adaptation following extended bleaches 29: 1401
Axial diffusion of retinol in isolated frog rod outer segments following substantial bleaches of visual pigment 29: 1485

BRIGHTNESS PERCEPTION
White's effect: a dual mechanism 29: 1245
Color and brightness fade-out in the Ganzfeld is wavelength dependent 29: 1335
Temporal induction of blackness-I. Color appearance 29: 1425
Temporal induction of blackness-II. Spectral efficiency and tests of additivity 29: 1437

BROCA-SULZA EFFECT (see BRIGHTNESS PERCEPTION)

CELLS (see AMACRINE CELLS; CORTEX; GANGLION CELLS; HORIZONTAL CELLS)

CHANNELS
Contrast, spatial frequency and test duration effects on the tilt after-effect: implications for underlying mechanisms 29: 129
On the mechanism that encodes the movement of contrast variations: velocity discrimination 29: 207
Response pooling between chromatic and luminance systems 29: 325
Is edge information for stereoacuity spatially channeled? 29: 593
Binocular combination of contrast signals 29: 1115

CHROMATIC ABERRATION (see ABERRATION)

CHROMATIC CONTRAST (see COLOR CONTRAST)

CHROMATIC INDUCTION (see COLOR CONTRAST)

CLINICAL APPLICATIONS
Binocular beats: psychophysical studies of binocular interaction in normal and stereoblind humans 29: 27
Visual field defects for unidirectional and oscillatory motion in depth 29: 809

COGNITION
Cognitive expectations, not habits, control anticipatory smooth oculomotor pursuit 29: 1049
The role of location probability in the programming of saccades: implications for "center-of-gravity" tendencies 29: 1165
The control and speed of shifts of attention 29: 1607
Sustained and transient components of focal visual attention 29: 1631

COLOR ANOMALY
Differences in the responses of heterozygous carriers of colorblindness and normal controls to briefly presented stimuli 29: 255

COLOR APPEARANCE
Influence of achromatic surrounds on categorical perception of surface colors 29: 881
Dependence of the chromatic valence function on chromatic standards 29: 1233
Color and brightness fade-out in the Ganzfeld is wavelength dependent 29: 1335
Temporal induction of blackness-I. Color appearance 29: 1425
Temporal induction of blackness-II. Spectral efficiency and tests of additivity 29: 1437

COLOR BLINDNESS (see COLOR ANOMALY; DICHROMACY; MONOCHROMACY)

COLOR CODING
Response pooling between chromatic and luminance systems 29: 325

COLOR CONTRAST
Local and distal factors in visual grating induction 29: 691
On neural signals that mediate induced blackness 29: 891
Temporal induction of blackness-I. Color appearance 29: 1425

COLOR DISCRIMINATION
The gap effect revisited: slow changes in chromatic sensitivity as affected by luminance and chromatic borders 29: 717
Influence of achromatic surrounds on categorical perception of surface colors 29: 881

COLOR OPPONENCY
Chromatic opponency in 3-month old human infants 29: 37
Dependence of the chromatic valence function on chromatic standards 29: 1233

CONES (see also PHOTORECEPTORS)
Foveal cone thresholds 29: 61
The relative numbers of long-wavelength-sensitive to middle-wavelength-sensitive cones in the human fovea centralis 29: 115
Human macular pigment assessed by imaging fundus reflectometry 29: 663
Receptive field densities of the ganglion cells of the human retina 29: 985
The spatial resolution capacity of human foveal retina 29: 1095
Human albinos can discriminate spatial freequency and phase as accurately as normal subjects 29: 1561
The density of cones in the fovea centralis of the human dichromat 29: 1587

CONTOUR PERCEPTION
The role of subjective contours in capture of stereopsis 29: 143
The conditions under which Mach bands are visible 29: 699
Perceived diagonals in grids and lattices 29: 1005
Subjective contours, tilt aftereffects, and visual cortical organization 29: 1205
Endstopping and curvature 29: 1371

CONTRAST DISCRIMINATION
Contrast adaptation in striate cortex of macaque 29: 747

CONTRAST PERCEPTION
On the mechanism that encodes the movement of contrast variations: velocity discrimination 29: 207

CONTRAST REVERSAL
Evidence for edge and bar detectors in human vision 29: 419
Detecting the displacements of spatial beats: no role for distortion products 29: 731
Perceived diagonals in grids and lattices 29: 1005
Reversed apparent motion with random dot patterns 29: 1749

CONTRAST SENSITIVITY
Psychophysics of reading. VI-The role of contrast in low vision 29: 79
Contrast modulated maskers: test of a late nonlinearity hypothesis 29: 137
Visibility of blobs with a Gaussian luminance profile 29: 447
Measurement of spatial contrast sensitivity with the swept contrast VEP 29: 627
Contrast adaptation in striate cortex of macaque 29: 747
Interocular differences in contrast and spatial frequency: effect on stereopsis and fusion 29: 837
Spatial organization of sensitivity regulation in rod vision 29: 965
The contrast sensitivity gradient across the human visual field: with emphasis on the low spatial frequency range 29: 1133
Sawtooth contrast sensitivity: decrements have the edge 29: 1501
A choice reaction time analysis of spatial frequency discrimination 29: 1575

CORNEA
The spectral transmission of the lens and cornea of the brown trout (*Salmo trutta*) and goldfish (*Carassius auratus*)-effect of age and implications for ultraviolet vision 29: 861
The spectral transmission of freshwater teleost ocular media-an interspecific comparison and a guide to potential ultraviolet sensitivity 29: 871
Corneal nipple in the subimago and imago of a species of *Cloeon* (Ephemeroptera: Baetidae), as revealed by scanning electron microscopy 29: 1037

CORTEX
A physiological correlate of the Pulfrich effect in cortical neurons of the cat 29: 155
Cortical processing of hyperacuity tasks 29: 247

Directional and orientational tuning of feline striate cortical neurones: correlation with neuronal class 29: 653
Contribution of linear spatiotemporal receptive field structure to velocity selctivity of simple cells in area 17 of cat 29: 675
Contrast adaptation in striate cortex of macaque 29: 747
Spatial organization of subfields in receptive fields of cells in cat striate cortex 29: 777
Melatonin administered systemically alters the properties of visual cortex cells in cat: further evidence for a role in visual information processing 29: 1089
Subjective contours, tilt aftereffects, and visual cortical organization 29: 1205
Visual coritical receptive fields in monkey and cat: spatial and temporal phase transfer function 29: 1285
Neurons of the striate cortex driven trans-synaptically by electrical stimulaation of the superior colliculus 29: 1319
Endstopping and curvature 29: 1371
The geometry of the topographic map in striate cortex 29: 1493
Neural motion after-effects in the cat's striate cortex: orientation selectivity 29: 1671

CORTICAL MAGNIFICATION
Retinal ganglion cell distribution in the cebus monkey: a comparison with the cortical magnification factors 29: 1471
The geometry of the topographic map in striate cortex 29: 1493

CRAIK-O'BRIEN EFFECT (see CONTOUR PERCEPTION)

DEPTH PERCEPTION
A physiological correlate of the Pulfrich effect in cortical neurons of the cat 29: 155
Spatial properties of disparity pooling in human stereo vision 29: 1525
Hyperacuity, superresolution and gap resolution in human stereopsis 29: 1597
Kinetic depth effect and optic flow-I. 3D shape from fourier motion 29: 1789

DETECTION THRESHOLD
Foveal cone thresholds 29: 61
Reaction times to motion onest and motion detection thresholds reflect the properties of bilocal motion detectors 29: 1261

DEUTERANOPIA (see DICHROMACY)

DEVELOPMENT
Chromatic opponency in 3-month old human infants 29: 37
The development of monocular and binocular VEP acuity 29: 397
Measurement of spatial contrast sensitivity with the swept contrast VEP 29: 627
Psychophysical estimates of ocular media density of human infants 29: 687
Effects of chronic optical defocus on the kitten's refractive status 29: 929
Experimental myopia in cats reared in stroboscopic illumination 29: 1033
Distribution of retinol isomerase in vertebrate eyes and its emergence during retinal development 29: 1711
Growth and ageing effects on the refractive index in the equatorial plane of the bovine lens 29: 1759

DICHROMACY
The density of cones in the fovea centralis of the human dichromat 29: 1587

DIPLOPIA (see BINOCULAR VISION)

DIRECTIONAL SELECTIVITY
Directional and orientational tuning of feline striate cortical neurones: correlation with neuronal class 29: 653
Contribution of linear spatiotemporal receptive field structure to velocity selctivity of simple cells in area 17 of cat 29: 675
Stiles-Crawford effect in garter snake 29: 741
Neural motion after-effects in the cat's striate cortex: orientation selectivity 29: 1671
Failure of motion discrimination at high contrasts: evidence for saturation 29: 1767

Extension of displacement limits in multiple-exposure sequences of apparent motion 29: 1777

DISPARITY (see BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (see PERIPHERAL VISION)

EDGE DETECTION (see FEATURE DETECTION)

ELECTRORETINOGRAM
The luminance-response function of the dark-adapted human electroretinogram 29: 263
The effect of stimulus contrast on the latency and amplitude of the pattern electroretinogram 29: 309
Fast activity and oscillatory potential of carp retina in the frequency domain 29: 949
Optic nerve blockade influences the retinal responses to flash in rabbits 29: 957
The effect of gold foil electrode position on the electroretinogram in human subjects 29: 1085
Isolation of scotopic human electroretinograms using color adaptation and pattern reversal stimuli 29: 1277
The electroretinogram of the little owl (*Athene noctura*) 29: 1693

EVOKED POTENTIALS
Motion components of VEPs to the waggon wheel effect 29: 19
The development of monocular and binocular VEP acuity 29: 397
Measurement of spatial contrast sensitivity with the swept contrast VEP 29: 627

EYE MOVEMENTS
Retinal slip velocities in congenital nystagmus 29: 195
Functional anatomy of narmal human rectus muscles 29: 223
Visually perceived eye level and perceived elevation of objects: linearly additive influences from visual field pitch and from gravity 29: 315
Influence of mechanical disturbance on oculomotor behavior 29: 545
Global stereopsis in human albinos 29: 1359
Effect of context and efference copy on visual straight ahead 29: 1729

EYE MOVEMENTS, SACCADIC
Retinal slip velocities in congenital nystagmus 29: 195
Comparison of saccadic eye movements in humans and macaques to single-step and double-step target movements 29: 485
Variable contributions of rods and cones to saccadic eye-movement latency in a non-foveating task 29: 563
Saccadic suppression of low-level motion 29: 915
Target velocity based prediction in saccadic vector programming 29: 1103
The role of location probability in the programming of saccades: implications for "center-of-gravity" tendencies 29: 1165
Scatter in the metrics of saccades and properties of the collicular motor map 29: 1183
Differences in accuracy of human saccades between stationary and jumping targets 29: 1737

EYE MOVEMENTS, SMOOTH PURSUIT
The perception of target motion during smooth pursuit eye movements in the open-loop condition: characteristics of retinal and extraretinal signals 29: 471
Cognitive expectations, not habits, control anticipatory smooth oculomotor pursuit 29: 1049

EYE MOVEMENTS, VERGENCE
Binocular fields with lateral-eyed vision 29: 361
Manipulating stereopsis and vergence in an outdoor setting: moon, sky and horizon 29: 1815

FEATURE DETECTION
Evidence for edge and bar detectors in human vision 29: 419
Is edge information for stereoacuity spatially channeled? 29: 593
The conditions under which Mach bands are visible 29: 699

Differences between fovea and parafovea in visual search processes 29: 1153
Endstopping and curvature 29: 1371
The control and speed of shifts of attention 29: 1607
Sustained and transient components of focal visual attention 29: 1631

FLICKER
Release pattern of endogenous dopamine in teleost retinae during light adaptation and pharmacological stimulation 29: 147
A model for spatiotemporal frequency responses in the X cell pathway of the cat's retina 29: 271
Two pulses seen as three flashes: a superposition analysis 29: 409
The spike generating mechanism of cat retinal ganglion cells 29: 505
Uniform field flicker: masking and facilitation 29: 803
Losses of foveal flicker sensitivity during dark adaptation following extended bleaches 29: 1401
Temporal induction of blackness-II. Spectral efficiency and tests of additivity 29: 1437
Rod flicker perception : scotopic duality, phase lags and destructive interference 29: 1539
Frequency transfer properties of the spike generating mechanism of cat retinal ganglion cells 29: 1649

FOVEA
Foveal cone thresholds 29: 61
The relative numbers of long-wavelength-sensitive to middle-wavelength-sensitive cones in the human fovea centralis 29: 115
Human macular pigment assessed by imaging fundus reflectometry 29: 663
The spatial resolution capacity of human foveal retina 29: 1095
Differences between fovea and parafovea in visual search processes 29: 1153
Losses of foveal flicker sensitivity during dark adaptation following extended bleaches 29: 1401
Retinal ganglion cell distribution in the cebus monkey: a comparison with the cortical magnification factors 29: 1471
The density of cones in the fovea centralis of the human dichromat 29: 1587

GANGLION CELLS
Ganglion cells in the frog retina: discriminant analysis of histological classes 29: 1
Responses of retinal ganglion cells to eyeball deformation: a neuro-physiological basis for "pressure phosphenes" 29: 181
A model for spatiotemporal frequency responses in the X cell pathway of the cat's retina 29: 271
The spike generating mechanism of cat retinal ganglion cells 29: 505
Topographic organization of the ganglion cell layer and intraocular vascularization in the retinae of two reef teleosts 29: 765
Optic nerve blockade influences the retinal responses to flash in rabbits 29: 957
Receptive field densities of the ganglion cells of the human retina 29: 985
Neuropeptide Y-like immunoreactivity in neurons of the human retina 29: 1041
The effect of dark adaptation on the responses of cat retinal ganglion cells to eyeball deformation 29: 1059
Retinal ganglion cell distribution in the cebus monkey: a comparison with the cortical magnification factors 29: 1471
Frequency transfer properties of the spike generating mechanism of cat retinal ganglion cells 29: 1649

GRATINGS (see also SPATIAL FREQUENCY)
Contrast, spatial frequency and test duration effects on the tilt after-effect: implications for underlying mechanisms 29: 129
Some observations on the masking effects of two-dimensional stimuli 29: 241
The development of monocular and binocular VEP acuity 29: 397
The effect of staionary, random phase discontinuities, on spatial frequency discrimination 29: 497
Local and distal factors in visual grating induction 29: 691
Detecting the displacements of spatial beats: no role for distortion products 29: 731
Optimal displacement in apparent motion 29: 849
Stereopsis and contrast 29: 989
The contrast sensitivity gradient across the human visual field: with emphasis on the low spatial frequency range 29: 1133
Spatial frequency discrimination at different orientations 29: 1221
White's effect: a dual mechanism 29: 1245
Visual coritical receptive fields in monkey and cat: spatial and temporal phase transfer function 29: 1285

Monocular motion sensing, binocular motion perception 29: 1511
A choice reaction time analysis of spatial frequency discrimination 29: 1575

GROUPING
The effects of dichoptic and binocular viewing on bistable motion percepts 29: 1215

HORIZONTAL CELLS
Dynamics of signal conduction from soma to axon terminal of the teleost retinal horizontal cell: *in vivo, in vitro* and model studies 29: 375
Coexistence of NMDA and non-NMDA receptors on the turtle horizontal cells revealed using isolated retina preparations 29: 385
APB increases aparent coupling between horizontal cells in mud-puppy retina 29: 541

HYPERACUITY
Cortical processing of hyperacuity tasks 29: 247
Peripheral positional acuity: retinal and cortical constraints on 2-dot separation discrimination under photopic and scotopic conditions 29: 789
Hyperacuity, superresolution and gap resolution in human stereopsis 29: 1597
Sustained and transient components of focal visual attention 29: 1631

ILLUSION (see also AFTEREFFECTS)
The role of subjective contours in capture of stereopsis 29: 143
A physiological correlate of the Pulfrich effect in cortical neurons of the cat 29: 155
Visually perceived eye level and perceived elevation of objects: linearly additive influences from visual field pitch and from gravity 29: 315
The less you see it, the faster it moves: shortening the "on-time" speeds up apparent motion 29: 335
Perceived diagonals in grids and lattices 29: 1005
Subjective contours, tilt aftereffects, and visual cortical organization 29: 1205
Manipulating stereopsis and vergence in an outdoor setting: moon, sky and horizon 29: 1815

IMAGE QUALITY
Effects of chronic optical defocus on the kitten's refractive status 29: 929

INCREMENT THRESHOLD
Psychophyically derived visual mechanisms in turtle. I-Spectral properties 29: 93
Psychophysically derived visual mechanisms in turtle./II-Spatial properties 29: 107
Width discrimination for band-pass stimuli 29: 901
The Weber relation for position is not an artefact of eccentricity 29: 1457
Both separation and eccentricity can limit precise position judgements: a reply to Morgan and Watt 29: 1463
Sawtooth contrast sensitivity: decrements have the edge 29: 1501

LATENCY
The effect of stimulus contrast on the latency and amplitude of the pattern electroretinogram 29: 309
Comparison of saccadic eye movements in humans and macaques to single-step and double-step target movements 29: 485
Variable contributions of rods and cones to saccadic eye-movement latency in a non-foveating task 29: 563
Differences in accuracy of human saccades between stationary and jumping targets 29: 1737

LATERAL INHIBITION
The conditions under which Mach bands are visible 29: 699
On neural signals that mediate induced blackness 29: 891

LENS
Role of the lens and vitreous humor in the refractive properties of the eyes of three strains of goldfish 29: 681
The spectral transmission of the lens and cornea of the brown trout (*Salmo trutta*) and goldfish (*Carassius auratus*)-effect of age and implications for ultraviolet vision 29: 861

The spectral transmission of freshwater teleost ocular media-an interspecific comparison and a guide to potential ultraviolet sensitivity 29: 871
Changes in the shape and optical properties of the chicken lens after vitreous and scleral removal 29: 1229

LOW VISION
Psychophysics of reading. VI-The role of contrast in low vision 29: 79
The luminance-response function of the dark-adapted human electroretinogram 29: 263
Consensual pupillary light reflex in the pigment rat 29: 303
Response pooling between chromatic and luminance systems 29: 325
Visibility of blobs with a Gaussian luminance profile 29: 447
Size, flux and luminance effects in the apparent motion correspondence process 29: 579
The gap effect revisited: slow changes in chromatic sensitivity as affected by luminance and chromatic borders 29: 717
Binocular fusion limits are independent of contrast, luminance gradient and component phases 29: 821
Orientation discrimination for objects defined by relative motion and objects defined by luminance contrast 29: 1389

MACH BANDS (see CONTOUR PERCEPTION)

MASKING
Contrast modulated maskers: test of a late nonlinearity hypothesis 29: 137
Some observations on the masking effects of two-dimensional stimuli 29: 241
Uniform field flicker: masking and facilitation 29: 803
Receptive field properties of human motion detector units inferred from spatial frequency masking 29: 1343
The control and speed of shifts of attention 29: 1607

McCULLOUGH EFFECT (see AFTEREFFECTS)

METACONTRAST (see MASKING)

MOLECULAR BIOLOGY
Production of bovine rhodopsin by mammalian cell lines expressing cloned cDNA: spectrophotometry and subcellular localization 29: 907

MONOCHROMACY
The luminance-response function of the dark-adapted human electroretinogram 29: 263
Temporal summation in a rod monochromat: response to Sharpe, Fach and Nordby 29: 1831
Temporal summation in typical, complete achromat 29: 1833

MORPHOLOGY (see NEUROANATOMY)

MOVEMENT PERCEPTION
Motion components of VEPs to the waggon wheel effect 29: 19
Direction perception in complex dynamic displays: the integration of direction information 29: 47
On the mechanism that encodes the movement of contrast variations: velocity discrimination 29: 207
The less you see it, the faster it moves: shortening the "on-time" speeds up apparent motion 29: 335
The perception of target motion during smooth pursuit eye movements in the open-loop condition: characteristics of retinal and extraretinal signals 29: 471
Is there a constancy for velocity? 29: 553
Size, flux and luminance effects in the apparent motion correspondence process 29: 579
Occlusion and the solution to the aperture problem for motion 29: 619
Contribution of linear spatiotemporal receptive field structure to velocity selctivity of simple cells in area 17 of cat 29: 675
Visual field defects for unidirectional and oscillatory motion in depth 29: 809
Optimal displacement in apparent motion 29: 849
Saccadic suppression of low-level motion 29: 915

Acuity for fine-grain motion and for two-dot spacing as a function of retinal eccentricity: differences in specialization of the central and peripheral retina 29: 1017
Target velocity based prediction in saccadic vector programming 29: 1103
Interattribute apparent motion 29: 1197
The effects of dichoptic and binocular viewing on bistable motion percepts 29: 1215
Reaction times to motion onest and motion detection thresholds reflect the properties of bilocal motion detectors 29: 1261
Receptive field properties of human motion detector units inferred from spatial frequency masking 29: 1343
Orientation discrimination for objects defined by relative motion and objects defined by luminance contrast 29: 1389
Monocular motion sensing, binocular motion perception 29: 1511
The combination of motion signals over time 29: 1621
Neural motion after-effects in the cat's striate cortex: orientation selectivity 29: 1671
Differences in accuracy of human saccades between stationary and jumping targets 29: 1737
Reversed apparent motion with random dot patterns 29: 1749
Failure of motion discrimination at high contrasts: evidence for saturation 29: 1767
Extension of displacement limits in multiple-exposure sequences of apparent motion 29: 1777
Kinetic depth effect and optic flow-I. 3D shape from fourier motion 29: 1789

NEUROANATOMY
Functional anatomy of narmal human rectus muscles 29: 223

NEUROCHEMISTRY
Release pattern of endogenous dopamine in teleost retinae during light adaptation and pharmacological stimulation 29: 147
Effects of exogenous melatonin on circadian disc shedding in the albino rat retina 29: 167
Morphological characterization of substance P-like immunoreactive amacrine cells in the anuran retina 29: 293
Coexistence of NMDA and non-NMDA receptors on the turtle horizontal cells revealed using isolated retina preparations 29: 385
Retinal-binding protein as a shuttle for retinal in the rhodopsin-retinochrome system of the squid visual cells 29: 639
Human macular pigment assessed by imaging fundus reflectometry 29: 663
The effect of substance P and other tachykinins on inositol phospholipid hydrolysis in rabbit retina, superior colliculus and retinal cultures 29: 757
Cytoplasmic free calcium concentration in dark-adapted retinal rod outer segments 29: 939
Neuropeptide Y-like immunoreactivity in neurons of the human retina 29: 1041
Light-evoked changes in extracelluar pH in frog retina 29: 1069
Quantitative distribution of six amino cids in rat retinal layers 29: 1079
Melatonin administered systemically alters the properties of visual cortex cells in cat: further evidence for a role in visual information processing 29: 1089

NEUROTRANSMITTER (see NEUROCHEMISTRY)

NOISE
Binocular combination of contrast signals 29: 1115

OCULAR DIMENSIONS
Role of the lens and vitreous humor in the refractive properties of the eyes of three strains of goldfish 29: 681
Effects of chronic optical defocus on the kitten's refractive status 29: 929
Accommodation and presbyopia in the human eye-aging of the anterior segment 29: 1685

OCULAR MEDIA
Role of the lens and vitreous humor in the refractive properties of the eyes of three strains of goldfish 29: 681
Psychophysical estimates of ocular media density of human infants 29: 687
The spectral transmission of freshwater teleost ocular media-an interspecific comparison and a guide to potential ultraviolet sensitivity 29: 871
Changes in the shape and optical properties of the chicken lens after vitreous and scleral removal 29: 1229

OPTIC TECTUM
The effect of substance P and other tachykinins on inositol phospholipid hydrolysis in rabbit retina, superior colliculus and retinal cultures 29: 757
Scatter in the metrics of saccades and properties of the collicular motor map 29: 1183
Neurons of the striate cortex driven trans-synaptically by electrical stimulaation of the superior colliculus 29: 1319

ORIENTATION PERCEPTION
Contrast, spatial frequency and test duration effects on the tilt after-effect: implications for underlying mechanisms 29: 129
Some observations on the masking effects of two-dimensional stimuli 29: 241
Cortical processing of hyperacuity tasks 29: 247
Local and distal factors in visual grating induction 29: 691
Spatial frequency discrimination at different orientations 29: 1221
Orientation discrimination for objects defined by relative motion and objects defined by luminance contrast 29: 1389
Neural motion after-effects in the cat's striate cortex: orientation selectivity 29: 1671

PATHOLOGY
Responses of retinal ganglion cells to eyeball deformation: a neuro-physiological basis for "pressure phosphenes" 29: 181
Retinal slip velocities in congenital nystagmus 29: 195

PERIPHERAL VISION
Discrimination of spatial phase in central and periperal vision 29: 433
Peripheral positional acuity: retinal and cortical constraints on 2-dot separation discrimination under photopic and scotopic conditions 29: 789
Acuity for fine-grain motion and for two-dot spacing as a function of retinal eccentricity: differences in specialization of the central and peripheral retina 29: 1017
The contrast sensitivity gradient across the human visual field: with emphasis on the low spatial frequency range 29: 1133
Differences between fovea and parafovea in visual search processes 29: 1153
The Weber relation for position is not an artefact of eccentricity 29: 1457
Both separation and eccentricity can limit precise position judgements: a reply to Morgan and Watt 29: 1463

PHASE SENSITIVITY
Contrast modulated maskers: test of a late nonlinearity hypothesis 29: 137
Two pulses seen as three flashes: a superposition analysis 29: 409
Evidence for edge and bar detectors in human vision 29: 419
Discrimination of spatial phase in central and periperal vision 29: 433
The effect of staionary, random phase discontinuities, on spatial frequency discrimination 29: 497
Detecting the displacements of spatial beats: no role for distortion products 29: 731
Rod flicker perception : scotopic duality, phase lags and destructive interference 29: 1539
Human albinos can discriminate spatial freequency and phase as accurately as normal subjects 29: 1561

PHOTOCHEMISTRY
APB increases aparent coupling between horizontal cells in mud-puppy retina 29: 541
Light-evoked changes in extracelluar pH in frog retina 29: 1069
Retinoids bound to interstitial retinol-binding protein during light and dark-adaptation 29: 1699
Distribution of retinol isomerase in vertebrate eyes and its emergence during retinal development 29: 1711

PHOTOPIC VISION
Consensual pupillary light reflex in the pigment rat 29: 303
The role of spatial filtering in sensitivity regulation 29: 457
Peripheral positional acuity: retinal and cortical constraints on 2-dot separation discrimination under photopic and scotopic conditions 29: 789
Computing high order wave aberration coefficients from variations of best focus for small artificial pupils 29: 979

PHOTOPIGMENTS
Retinal densitometer with the size of a fundus camera 29: 369
Spectral properties of porphyropsin from an invertebrate 29: 519
Retinal-binding protein as a shuttle for retinal in the rhodopsin-retinochrome system of the squid visual cells 29: 639
Production of bovine rhodopsin by mammalian cell lines expressing cloned cDNA: spectrophotometry and sub-cellular localization 29: 907
Monoclonal antibodies specific to chicken iodopsin 29: 1267
Axial diffusion of retinol in isolated frog rod outer segments following substantial bleaches of visual pigment 29: 1485
Enigma of early receptor potential in fly eyes 29: 1663
Imaging retinal densitometry with a confocal scanning laser ophthalmoscope 29: 1825

PHOTORECEPTORS RODS); (see also CONES
Differences in the responses of heterozygous carriers of colorblindness and normal controls to briefly presented stimuli 29: 255
Computer methods for sampling, reconstruction, display and analysis of retinal whole mounts 29: 529
Variable contributions of rods and cones to saccadic eye-movement latency in a non-foveating task 29: 563
Stiles-Crawford effect in garter snake 29: 741
Light and dark adaptation in fly photoreceptors: duration and time integral of the impulse response 29: 1309
Enigma of early receptor potential in fly eyes 29: 1663

PIGMENT EPITHELIUM
Effects of exogenous melatonin on circadian disc shedding in the albino rat retina 29: 167
Distribution of retinol isomerase in vertebrate eyes and its emergence during retinal development 29: 1711

PROTANOPIA (see DICHROMACY)

READING
Psychophysics of reading. VI-The role of contrast in low vision 29: 79

RECEPTIVE FIELDS (see also individual cell types)
Evidence for edge and bar detectors in human vision 29: 419
Discrimination of spatial phase in central and periperal vision 29: 433
Visibility of blobs with a Gaussian luminance profile 29: 447
APB increases aparent coupling between horizontal cells in mud-puppy retina 29: 541
Contribution of linear spatiotemporal receptive field structure to velocity selctivity of simple cells in area 17 of cat 29: 675
Spatial organization of subfields in receptive fields of cells in cat striate cortex 29: 777
Visual coritical receptive fields in monkey and cat: spatial and temporal phase transfer function 29: 1285
Receptive field properties of human motion detector units inferred from spatial frequency masking 29: 1343

RECEPTOR POTENTIAL (see CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

REFRACTION
Role of the lens and vitreous humor in the refractive properties of the eyes of three strains of goldfish 29: 681
Effects of chronic optical defocus on the kitten's refractive status 29: 929
Experimental myopia in cats reared in stroboscopic illumination 29: 1033
Changes in the shape and optical properties of the chicken lens after vitreous and scleral removal 29: 1229
Growth and ageing effects on the refractive index in the equatorial plane of the bovine lens 29: 1759

RETINAL DISEASE (see PATHOLOGY)

RODS (see also PHOTORECEPTORS)
Effects of exogenous melatonin on circadian disc shedding in the albino rat retina 29: 167
Cytoplasmic free calcium concentration in dark-adapted retinal rod outer segments 29: 939

Spatial organization of sensitivity regulation in rod vision 29: 965
Axial diffusion of retinol in isolated frog rod outer segments following substantial bleaches of visual pigment 29: 1485
Rod flicker perception : scotopic duality, phase lags and destructive interference 29: 1539
Temporal summation in a rod monochromat: response to Sharpe, Fach and Nordby 29: 1831
Temporal summation in typical, complete achromat 29: 1833

SACCADES (see EYE MOVEMENTS, SACCADIC)

SATURATION
Failure of motion discrimination at high contrasts: evidence for saturation 29: 1767

SCHEMATIC EYE (see OCULAR DIMENSIONS)

SCOTOPIC VISION
The role of spatial filtering in sensitivity regulation 29: 457
Psychophysical estimates of ocular media density of human infants 29: 687
Peripheral positional acuity: retinal and cortical constraints on 2-dot separation discrimination under photopic and scotopic conditions 29: 789
Spatial organization of sensitivity regulation in rod vision 29: 965
Isolation of scotopic human electroretinograms using color adaptation and pattern reversal stimuli 29: 1277
Rod flicker perception : scotopic duality, phase lags and destructive interference 29: 1539

SENSITIVITY REGULATION (see ADAPTATION, LIGHT)

SPATIAL FREQUENCY
Contrast, spatial frequency and test duration effects on the tilt after-effect: implications for underlying mechanisms 29: 129
Some observations on the masking effects of two-dimensional stimuli 29: 241
A model for spatiotemporal frequency responses in the X cell pathway of the cat's retina 29: 271
The interactions between chromatic aberration, defocus and stimulus chromaticity: implications for visual physiology and colorimetry 29: 349
The effect of staionary, random phase discontinuities, on spatial frequency discrimination 29: 497
Spatial organization of subfields in receptive fields of cells in cat striate cortex 29: 777
Uniform field flicker: masking and facilitation 29: 803
Binocular fusion limits are independent of contrast, luminance gradient and component phases 29: 821
Interocular differences in contrast and spatial frequency: effect on stereopsis and fusion 29: 837
Optimal displacement in apparent motion 29: 849
Width discrimination for band-pass stimuli 29: 901
Stereopsis and contrast 29: 989
The contrast sensitivity gradient across the human visual field: with emphasis on the low spatial frequency range 29: 1133
Spatial frequency discrimination at different orientations 29: 1221
Receptive field properties of human motion detector units inferred from spatial frequency masking 29: 1343
Monocular motion sensing, binocular motion perception 29: 1511
Human albinos can discriminate spatial freequency and phase as accurately as normal subjects 29: 1561
A choice reaction time analysis of spatial frequency discrimination 29: 1575
Failure of motion discrimination at high contrasts: evidence for saturation 29: 1767

SPATIAL VISION CHANNELS); (see also ACUITY
Visually perceived eye level and perceived elevation of objects: linearly additive influences from visual field pitch and from gravity 29: 315
White's effect: a dual mechanism 29: 1245

SPECTRAL SENSITIVITY
Psychophyically derived visual mechanisms in turtle. I-Spectral properties 29: 93
Spectral properties of porphyropsin from an invertebrate 29: 519

Production of bovine rhodopsin by mammalian cell lines expressing cloned cDNA: spectrophotometry and subcellular localization 29: 907
Tetrachromatic color vision in the goldfish becomes trichromatic under white adaptation light of moderate intensity 29: 1719

SPHERICAL ABERRATION (see ABERRATION)

STABILIZED VISION
The role of spatial filtering in sensitivity regulation 29: 457

STEREOPSIS
The role of subjective contours in capture of stereopsis 29: 143
A physiological correlate of the Pulfrich effect in cortical neurons of the cat 29: 155
Binocular fields with lateral-eyed vision 29: 361
Is edge information for stereoacuity spatially channeled? 29: 593
Occlusion and the solution to the aperture problem for motion 29: 619
Visual field defects for unidirectional and oscillatory motion in depth 29: 809
Binocular fusion limits are independent of contrast, luminance gradient and component phases 29: 821
Interocular differences in contrast and spatial frequency: effect on stereopsis and fusion 29: 837
Stereopsis and contrast 29: 989
Interattribute apparent motion 29: 1197
Global stereopsis in human albinos 29: 1359
Spatial properties of disparity pooling in human stereo vision 29: 1525
Hyperacuity, superresolution and gap resolution in human stereopsis 29: 1597
Manipulating stereopsis and vergence in an outdoor setting: moon, sky and horizon 29: 1815

STILES-CRAWFORD EFFECT (see DIRECTIONAL SELECTIVITY)

STRABISMUS (see also AMBLYOPIA)
McCollough aftereffects in strabismus and amblyopia 29: 609
Clinical suppression and binocular rivalry suppression: the effects of stimulus strength on the depth of suppression 29: 1325

SUMMATION, BINOCULAR
Binocular combination of contrast signals 29: 1115
Spatial properties of disparity pooling in human stereo vision 29: 1525
Hyperacuity, superresolution and gap resolution in human stereopsis 29: 1597

SUMMATION, SPATIAL
Psychophysically derived visual mechanisms in turtle. II-Spatial properties 29: 107

SUMMATION, TEMPORAL
The combination of motion signals over time 29: 1621
Extension of displacement limits in multiple-exposure sequences of apparent motion 29: 1777
Temporal summation in a rod monochromat: response to Sharpe, Fach and Nordby 29: 1831
Temporal summation in typical, complete achromat 29: 1833

SUPERIOR COLLICULUS (see OPTIC TECTUM)

TECHNIQUES
Binocular beats: psychophysical studies of binocular interaction in normal and stereoblind humans 29: 27
The interactions between chromatic aberration, defocus and stimulus chromaticity: implications for visual physiology and colorimetry 29: 349
Retinal densitometer with the size of a fundus camera 29: 369
Computer methods for sampling, reconstruction, display and analysis of retinal whole mounts 29: 529
Measurement of spatial contrast sensitivity with the swept contrast VEP 29: 627

The effect of gold foil electrode position on the electroretinogram in human subjects 29: 1085
Imaging retinal densitometry with a confocal scanning laser ophthalmoscope 29: 1825

TEMPORAL DISCRIMINATION
Two pulses seen as three flashes: a superposition analysis 29: 409

THRESHOLD (see CONTRAST SENSITIVITY; DETECTION THRESHOLD; INCREMENT THRESHOLD)

TRITANOPIA (see DICHROMACY)

TROXLER EFFECT (see STABILIZED VISION)

VELOCITY (see MOVEMENT PERCEPTION)

VERNIER ACUITY (see HYPERACUITY)

VISUAL DIRECTION
Direction perception in complex dynamic displays: the integration of direction information 29: 47
Effect of context and efference copy on visual straight ahead 29: 1729

VISUAL SEARCH (see FEATURE DETECTION)

WAVELENGTH DISCRIMINATION (see COLOR DISCRIMINATION)